

FIndex.FAM.Flora of PR EasternGeoPlate.050417			Rev. 01		Flora of The Puerto Rico Eastern Geologic Plate										
Updated: 4-May-17			Culebra, Culebrita, Vieques, US and British VI												
Printed: 19-May-17			Indice por Familia de Nombre Cientificos - Floral Family Index of Scientific Names												
#	Type	Loc.	Island	V	CVST	C&C	PeCla	Nombre Científico			F	Family	Sub- Famil	Habitat	FPR.Liogier.Ref.
Color Code	Location		USCE	Cay	Lobo	Sm.AA,MHD.CUL	Sm.F.Pal	Sm.F.Culbr	Sm.F.Vieq	Sm.F. St. Thomas	Sm.F. St. Jc	British,VI			
1	GCM	VMT	GVT		1	1	1	Asystacia gangetica (L.) T. Anders., Justicia g, Asyst	1.30	F	Acanthaceae	200FPR.4	BPTdPR.41	FPR.190,V.15	
2	Mngl	Cul			2	2	2	Avicennia germinans (L.) L., Mangle Negro - Black M	1.30	F	Acanthaceae	Avivenniaceae		FPR.176,IV390	
					3			Barleria cristata L., - Crested Phillipine violet [Wht-Vi]	1.29		Acanthaceae			FPR.190,V.20	
					3	4		Barleria lupulina Lindl. in Edw., - Hoghead Phillipine	1.30	F	Acanthaceae			FPR.190,V.20	
3	GCM	VMT			4	5	3	Barleria repens Nees, - Coral creeper, Red barleria [I]	1.29		Acanthaceae			FPR.190,V.20	
					6			Barleria strigosa Willd., nd. [Pur]	1.29		Acanthaceae			FPR.190,V.20	
4	YebM	VMT		G	5	7	4	Blechum pyramidatum(Lam.) Urb.,Yerba de papagayo - [Vio]			Acanthaceae	WPoB.190,CSIP.192	FPR.190,V. 23		
				GT	8			Crossandra infundibuliformis (L.) Nees	1.30	F	Acanthaceae			nd.	
				T	9			Dicliptera sexangularis (L.) Juss.	1.29		Acanthaceae			FPR.190,V.25	
					10			Graptophyllum pictum (L.) Griff., Café con leche/de j	1.29		Acanthaceae			nd., FPR.191,	
5	YerM	VMT		T	6	11	5	Justicia carthagenensis Jacq., H. de conejo - Grande	1.29		Acanthaceae	FoLA,III,369	nd., FPR.191,		
					7	12	1	Justicia culebritae Urban., n.d.	1.3		Acanthaceae			FPR.191,V.34	
					13			Justicia mirabiloides Lam.,	1.29	F	Acanthaceae	200.FPR.5	FPR.191,V.36		
			VT		8	14	2	Justicia pectoralis Jacq., Curia -	1.12	F	Acanthaceae			FPR.191,V.36	
			GV		9	15	3	Justicia periplocifolia Jacq.,	1.12		Acanthaceae			nd., FPR.191,	
					16			Justicia specigera Schldl., Jacobinia	1.29	F	Acanthaceae			nd., FPR.191,	
					17		4	Justicia sphaerosperma Vahl., nd.	USCE		Acanthaceae			FPR.191,V.37	
					18			Odontonema nitidum (Jacq.) Kuntze, Boi crabbe	1.29	F	Acanthaceae			nd., FPR.191,	
	ArbM	VMT		GV	10	19	5	Oplonia micropophylla (Lam.) Stearn, Aruñá canilla - [	1.12	F	Acanthaceae			FPR.191,V.41	
6	ArbM	VMT		GAT	11	20	6	Oplonia spinosa (Jacq.) Raf.subsp. spinosa, Espino:	1.12		Acanthaceae	200FPR.7	BPTPRV.41	FPR.192,V.42	
					21			Pachyrhizus erosus (L.) Urb., Habilla - Wild jam bean	2.30		Acanthaceae			FPR.192,V.43	
	ArbM	VMT		Exo	22			Psederanthemum laxiflorum (a.Grey) Hub.ex Baill, - Shoting Star,			Acanthaceae			nd., FPR.192,IV45	
7	YebM	VMT			12	23	7	Ruellia caerulea Morong {brittonia}, A-las-doce-me Voy - Britton's			Acanthaceae			FPR.192,V.47	
				VT	13	24		Ruellia coccinea (L.) Vahl., Maravilla y. M. - [Red]	2.30	F	Acanthaceae			FPR.192,V.48	
				GV	25			Ruellia costata (Nees) Hiern., [Wht] sml in nodes	1.29		Acanthaceae			nd., FPR.192,	
8	YebM	VMT			26	8		Ruellia nudiflora (Englm.&H. Grey) Urb., - Violet wild petunia [Pur]			Acanthaceae	WoCP.9	FPR.n.d.		
9	YebM	VMT		G	14	27	9	Ruellia tuberosa L., - Mannieroots, Watercannon [Wht]			Acanthaceae			FPR.192,V.49	
10	ArbEx	VMT			15	28	10	Exo Ruellia tweediana Grisebach, Petunia - Mex Blue-bells, Spanish L			Acanthaceae			nd., FPR.192	
11	ArbEx	VMT			16	29	11	Exo Sanchezia speciosa Leonard, Shrubby Whitevine [Org-YlW]			Acanthaceae			FPR.192,V.50	

12	YebM	VMT	VT	17	30	12	Siphonoglossa sessilis,(Jacq.) D.N.Gibson	2.12	F	Acanthaceae	200FPR.10	FPR.192,V.52
					18	31	Stenandrium tuberosum (L.) Urban, Mata espiritista,	2.30		Acanthaceae		FPR.192,V.53
					19	32	Thumbergia alata Bojer ex Sims, nd.	1.29	F	Acanthaceae	200FPR.11	FPR.193,V.57
						33	Thumbergia erecta (Benth.) T. Anderson, Angelina, v	2.30		Acanthaceae		FPR.193,V.57
13	BJ	VMT		20	34	13	Thumbergia fragans Roxb., Flor de nieve,Susana bla	2.30	F	Acanthaceae	200FPR.12	FPR.193,V.58
					35		Thumbergia grandiflora Roxb., Fausto, Corona del R	1.29	F	Acanthaceae	200FPR.13	FPR.193,V.57
					21	36	Sambucus nigra, L. subsp, canadens (L. Bolli	2.30		Adoxaceae		nd.,FPR.202
14	GCM	CUL	GT	22	37	14	Exo Aptenia cordifolia (L.f.) Swant., Rosa del Sol - Baby Sun-Rose, CU			Aizoaceae	TFP.48	nd.,FPR.56
			A		38		Cypselea humifusa Turpin, -	2.29	F	Aizoaceae		FPR.56,I.195
					24	39	For : Mollugo ssp. see Molluginaceae			Aizoaceae		
					24	39	Sesuvium mycrophillum Willd., Verdolaga Rosada -	2.30		Aizoaceae	Mesembry	Seashore FPR.56,V.395
15	GCP	VMT	AT	23	40	15	Sesuvium portulacastrum (L.) L., Verdolaga Rosada	1.3		Aizoaceae	Mesembryanthemum	FPR.56,I.198
16	YebM	VMT	GT	25	41	16	Trianthema portulacastrum L., Verdolaga de h. anch	2.12	F	Aizoaceae	200FPR.14	FPR.56,I.201
17	YebM	VMT	GVT	26	42	17	Achyranthes aspera L. var. aspera, Rabo de Gato - t	2.12		Amaranthaceae	200FPR.15	WPoB55 FPR.51,I.143
					43		Alternanthera brasiliana (L.) Kunnze,	2.29	F	Amaranthaceae		FPR.51,I.145,V.395
					27	44	Alternanthera caracasana HBK., Adorna jardin -	2.30		Amaranthaceae		FPR.51,I.145
18	GCM	VMT	GAT	28	45	18	Alternanthera crucis (Moq.) Boldingh, - West Indian j	2.12		Amaranthaceae		FPR.51,I.145
19	YebM	CulAirP		29	46	19	Alternanthera flavescens Chaff F., - [wht]CulAirP			Amaranthaceae	FW.219	FPR.51,I.145
					47		Alternanthera paronychioides A. St.-Hil.,	2.33		Amaranthaceae		FPR.51,I.145,V.395
					30	48	Alternanthera sessilis (L.) R.Br.ex DC. , Sanginaria -	2.30		Amaranthaceae		FPR.52,I.148
					49		Alternanthera tenella Colla var. tenella	2.33		Amaranthaceae		FPR.52,I.148
					50		Amaranthus caudatus L.,	2.30		Amaranthaceae		FPR.52,I.151
					31	51	6 Amaranthus crassipes Schll., -	2.12	F	Amaranthaceae		FPR.52,I.151
20	YebM	VMT	VT	32	52	20	Amaranthus dubius Mart ex Thell., Blero blanco, - Amaranth, Bo			Amaranthaceae	200FPR.16	FPR.52,I.152
					53		Amaranthus polygonoides, L., Tropical amaranth	2.33		Amaranthaceae		FPR.52,I.148
					33	54	7 Amaranthus spinosus L., Blero spinoso - Spiny ama	2.12	F	Amaranthaceae		FPR.52,I.152
					34	55	8 Amaranthus viridis L., Blero blanco/manso - Lumbu	2.12	F	Amaranthaceae		FPR.52,I.154
					35	56	Atriplex pentandra (Jacq.) Standl., Garbancillo - Cre	2.30		Amaranthaceae		FPR.50,I.136
21	YebP	CUL	VT	36	57	21	Blutaparom vermiculare (L.) Mears, Y. de sal - Saltwe	2.12	F	Amaranthaceae	WPoB.57	FPR.53,I.1558
					58		Celosia argentea L. var. cristata (L.) Kuntze, Cresta c	2.33		Amaranthaceae		FPR.53,I.156
	aamVG	GGVT		37	59	9	Celosia nitida Vahl., Celosia -	2.12	Cf	Amaranthaceae		FPR.53,I.157





				123		<i>Metastelma lineare</i> Bello, nd	3.29		Apocynaceae	Asclepiadaceae	n.d., FPR 162
				84	124	14 <i>Metastelma parviflorum</i> Sw.) R.Br. Ex Roem. &Schul	2.12 F		Apocynaceae	ic.200FPR. BPTdPR.74	FPR.162,IV.238
50	ArbEx	VMT	GAIT	85	125	50 <i>Exo</i> Nerium oleander L., Aleli /extrangero, Laurel rosado	3.30 F		Apocynaceae		FPR.160,IV.212
51	Succu	VMT		86	126	51 <i>Exo</i> Pachypodium lamerei Drake, Palma de Madagascar - Madagascar			Apocynaceae		FPR.nd.
52	BP	Cul	GAIT	87	127	52 Pentalinon luteum (L.) Han.&Wunderlin, Barbeiro am	2.12 F		Apocynaceae	Pentalinos BPTTr57	FPR.160,IV.214
53	AMM	VMT	GAIT	88	128	53 Plumeria alba L., Aleli - Milktree	3.30 F		Apocynaceae		FPR.160.IV.215
54	AMM	CulBFrnt		89	129	54 <i>Exo</i> Plumeria obtusa L., Alheli cimarron, - SingaporePlumaria [Wht-ylv			Apocynaceae		FPR.160.IV.217
55	ArbEx	VMT	T	90	130	55 Plumeria pudica Jacq., Velo de novia - Bridal bouquet, W. frangipa			Apocynaceae		FPR.160.IV.217
56	AMM	VMT		91	131	56 Plumeria rubra L., Alheli, Frangipani - Milktree [CUL]			Apocynaceae		FPR.160.IV.217
					132	<i>Prestonia agglutinata</i> (Jacq.) Woodson,			Apocynaceae		
57	AMM	VMT	T	92	133	57 Rauvolfia nitida Jacq., Cachimbo, Palo amargo d mu	3.30 F		Apocynaceae		FPR.160,IV.220
58	ArbM	VMT	GVT	93	134	58 Rauvolfia viridis Willd. Ex Roem. &Schultes, Cachimbo blanco - B			Apocynaceae		FPR.160.IV.220
				94	135	15 <i>Rhabdadenia biflora</i> (Jacq.)Muell. Arg., Bejuco negre	2.12		Apocynaceae		FPR.161.IV.222
59	Succu	T.B.Bon		95	136	59 Stapelia grandiflora N.E. Br., - Giant Toad Plant, ,Carrion/Starfish			Apocynaceae	TH.C&S.142	nd.
				96	137	<i>Tabernaemontana divaricata</i> (L.) R.Br.exRoem.&Sch	3.30		Apocynaceae		FPR.161.IV.225
60	AMP	Cul		97	138	60 Theventia peruviana (Pers. ) K Schum., Cabolonga - Lucky Nut			Apocynaceae		FPR.161.IV.226
					139	<i>Ilex urbaniana</i> Loes., Cuero de sapo -	4.29 F		Aquifoliaceae		FPR.109,III.19
				98	140	<i>Alocasia macrorrhiza</i> (L.) Schott, , Panama - Giant al	3.30 F		Araceae		FPR.248
					141	<i>Anthurium cordatum</i> (L.) Schott.,	4.29 F		Araceae		nd., FPR.248
				99	142	16 <i>Anthurium crenatum</i> (L.) Kunth, Flor de culebra, Rab	2.12 F		Araceae		FPR.248 nd.
					143	<i>Anthurium x selloum</i> K. Koch,	4.29 F		Araceae		nd., FPR.248
61	ArbExc	VMT	VT	100	144	61 Caladium bicolor (Aiton) Vent, Paleta de pintor, Venas de Jesús -			Araceae		FPR.249, n.d.
					145	<i>Diffenbachia seguine</i> (Jacq.) Schott., Rabano cimarr	3.30 F		Araceae		FPR.249, n.d.
62	BM	CulP.Esc		101	146	62 Epipremnum pinnatum (Lindl.&Andre) Bunt. cv. aureum, Amapalo			Araceae	TPF.83 BPTdPR.41	FPR.249, nd.
63	BM	CulEIEden	G	102	147	63 Epipremnum pinnatum, (L.) Engl. Centipede tongavii	3.17 F		Araceae	BPTdPR.41	FPR.249, nd.
				103	148	<i>Lemma aequinoctialis</i> Welw.,	4.29		Araceae		nd., FPR.249
				104	149	<i>Philodendrum giganteum</i> Schott, Yautia cimarrona	3.30 F		Araceae		FPR.250, n.d.
					150	<i>Philodendrum hederaceum</i> (Jacq.) Schott,	4.29 F		Araceae		nd., FPR.250
					151	<i>Philodendrum lingulatum</i> (L.) K. Koch, Bejuco de cal	4.30		Araceae		FPR.250, n.d.
64	BM	CUL		105	152	64 <i>Philodendrum speciosum</i> Schott ex Endl., Philodenc	4.30		Araceae		FPR.250, n.d.
65	PAC	CulEd		106	153	65 Pistia stratiotes L., Lechugilla, Lamparilla - Water let	4.29 F W		Araceae	WPICA.23	FPR.250 nd.
					154	<i>Syngonium podophyllum</i> Schott, Malanga trepadora	4.29 F		Araceae		FPR.250, n.d.

				107	155		<i>Xanthosoma brasiliense</i> (Desf.) Engl., Yautia belem	3.30		Araceae		FPR.250, n.d.
					156		<i>Xanthosoma sagittifolium</i> (L.) Schott, Yautia blanca	4.29	F	Araceae		FPR.250, n.d.
				108	157		<i>Xanthosoma undipes</i> (C. Koch) C. Koch, Yautia paln	3.30	F	Araceae		FPR.250, n.d.
					109	158	<i>Dendropanax arboreus</i> (L.) Decne.&Planch., Muñeca	4.30		Araliaceae		FPR.149. IV.78
					159		<i>Hydrocotyle umbellata</i> L., Ombligo de venus, Sombr	3.30		Araliaceae		FPR.151.IV.100
					160		<i>Polyscias filicifolia</i> (C. Moore ex E. Fourn.) L.H. Baile	4.30		Araliaceae		FPR.149.nd.
66	ArbM	CUL			161	66	<i>Polyscias guilfoylei</i> (W.Bull) L. H. Bailey var. victoria	4.30		Araliaceae	TO.376	FPR.149, IV.82
					162		<i>Schefflera morototoni</i> (Aublet) Mag.,Steyer.&Fron	4.29		Araliaceae		FPR.150. IV.83
67	AGM	CUL		110	163	67	<i>Araucaria heterophylla</i> (Salisb.) Franco, Araucaria - Norfolk pine [			Araucariaceae	Composite:Georgie's h.	FPR.37,
68	Palm	Cul	G	111	164	68	<i>Adonia</i> { <i>Veitchia</i> } <i>merrillii</i> (Becc.) Becc., Adonia -	4.30		Arecaceae	Palmae	&C.205,W.1( nd., FPR.247,
69	Palm	Cul		112	165	69	<i>Bismarckia nobilis</i> Hildebr.&Weendl., - Bismark Palm [Sil-Gry] C			Arecaceae	Palmae	TFP.95 nd., FPR.300,
70	Palm	Cul		113	166	70	<i>Butia capitata</i> (Mart.) Becc., - Jelly - Pindo palm [Ylw]			Arecaceae	Palmae	EsGuPlms.3 FPR. nd
71	Palm	VMT		114	167	71	<i>Coccothrinax alta</i> (O.F.Cook) Becc., Palama de Aban	3.30		Arecaceae	Palmae	nd., FPR.247,
72	Palm	VMT		115	168	72	<i>Coccothrinax barbadensis</i> (Lodd. Ex Mart.) Becc., Palma de Aban			Arecaceae	Palmae	'&C.106,W.8 nd., FPR.304,
73	Palm	VMT	GAT	116	169	73	<i>Cocos nucifera</i> L., Palma de Coco-Coconut Palm	3.30	F	Arecaceae	Palmae	FPR.247,
74	Palm	VMT		117	170	74	<i>Dypsis lutescens</i> ( H. Wendl.) Beentje & Dransf., Areca, P. Dorada			Arecaceae	Palmae G	'&C.102,W.8 FPR.247,
					118	171	<i>Roystonea borinquena</i> O. F. Clark, Palma real - Roya	3.30		Arecaceae	Palmae	FPR.248
					172		<i>Sabal bermudana</i> L.H. Bailey,	4.29		Arecaceae	Palmae	nd., FPR.248,
					119	173	<i>Sabal causiarum</i> (O. F. Coe) Becc., Palma sombrero	3.30	F	Arecaceae	Palmae	FPR.248
					120	174	<i>Thrinax morriisi</i> H. Wendl., Palma de escoba, Pander	3.30	F	Arecaceae	Palmae	FPR.248
75	Palm	Cul		121	175	75	<i>Wodyetia bifurcata</i> Irvine, Foxtail palm [CUL]			Arecaceae	Palmae	&C.212,W.2( nd., FPR.247,
					122	176	17 <i>Aristolaceae trilobata</i> L., Bejuco de Santiago, Cachin	3.30	F	Aristolochiaceae		FPR.48,I.114
					177		<i>Aristolochia anguicida</i> , Jacq.,	5.33		Aristolochiaceae		nd., FPR.48,
					178		<i>Aristolochia elegans</i> Mast.,	5.33	F	Aristolochiaceae		FPR.48,I.112
					179		<i>Aristolochia oblongata</i> Acq. Ssp. Calceiformis (Urb.)	5.33		Aristolochiaceae		nd., FPR.48,
					180		<i>Aristolochia odorissima</i> L.,	5.33		Aristolochiaceae		nd., FPR.48,
					123	181	<i>Aristolaceae trilobata</i> L., Bejuco de Santiago, Cachin	3.30	F	Aristolochiaceae		FPR.48,I.114
76	Succu	VMT		124	182	76	<i>Agave americana</i> L., Maguey, Pita - Century P. Amer. Aloe			Asparagaceae	Agavaceae	FPR.257, nd.
77	Succu	VMT	V		183	77	<i>Agave americana</i> Marginata L., Maguey, Pita - Century P. Amer. Al			Asparagaceae	Agavaceae	FPR.257, nd.





105	Succu VMT		150	216	105	Howartia venosa Lam.ssp. granulata, [Wht]	Asphodeleaceae	SPW.278	FPR.256, nd.		
		VT	151	217		Acanthospermum hispidium A. DC., nd.	5.30	F	Asteraceae	Compositae	FPR.205,V.211
		VT	152	218		Ageratum conyzoides L. ssp. conyzoides, Mantastro	5.30		Asteraceae	Compositae	FPR.205,V.237
		VT	153	219		Ambrosia hispida Pursh., Altamisa de playa - Bay tar	5.30	F	Asteraceae	Compositae	FPR.205,V.239
106	YebM Cul		154	220	106	Ambrosia periviana Willd. In L., Altamisa, Artemisa -	5.30		Asteraceae	Compositae	FPR.205,V.241
			155	221		Baccharis dioica Vahl, nd	5.30		Asteraceae	Compositae	FPR.206,V.244
107	YebM CulPyFla	GV	156	222	107	Bidens alba (L.) DC. Var. radiata (Sch. Bip.) R.E. Ballard, Romerilk			Asteraceae	Composit	WPoB.209 FPR.206,V.247
		GV	157	223	18	Bidens cynapiifolia Kunth. In HBK., Alfilerito,Manzan	3.12	F	Asteraceae	Composit	200FPR.27 FPR.206,V.247
	YebM		158	224		Bidens pilosa L., Margarita, Romerillo -Spanish needle [Ylw]			Asteraceae	Composit	200FPR.28 FPR.206,V.247
	YebM C/Vieq	AT	159	225	19	Borrhichia arborescens (L.) DC., Clavelon de palya - S	3.12	F	Asteraceae	Compositae	FPR.206,V.250
		VT	226			Centratherum punctuatus Cass.,	5.30		Asteraceae	Composit	200FPR.31 FPR.206,V.252
108	GCM VMT		160	227	108	Chamaemelum nobile 'Treneague' (L.) All., Manzanilla - Roman ch			Asteraceae	Compositae	n.d., FPR 206
			228			Chaptalia dentata L. Cass., nd.	5.33		Asteraceae	Composit	200FPR.32 FPR.206,V.254
			229			Chaptalia nutans (L.) Polak, Bretonica	5.33		Asteraceae	Compositae	FPR.206,V.256
109	ArbM VMT	GV	161	230	109	Chromolaena {Eupatorium} odoratum L. R. M. King & H. Rob., -	3.12	F	Asteraceae	Composit	CSIP.194,FF FPR.209,V.291
110	ArbP CulPtTarV	V	162	231	110	Chromolaena sinuata (Lam.) R. M. King & H. Rob., -	5.33	F	Asteraceae	Compositae	n.d., FPR 207
			232			Clibadium erosum (Sw.) DC., Carruzo, Turma de torc	5.33	F	Asteraceae	Compositae	FPR.207,V.260
			163	233		Conyza bonariensis (L.) Cronquist, nd	5.30		Asteraceae	Compositae	FPR.207,V.262
		G	164	234		Conyza canadensis (L.) Cronquist, Orozuz, Pasquet	5.30		Asteraceae	Compositae	FPR.207,V.264
		V	165	235		Cosmo caudatus HBK., Clavelillo, Margarita, Piquete	5.30		Asteraceae	Compositae	FPR.207,V.265
		V	166	236		Cosmo sulphureus Cav., Cosmos, Panchita -	5.30		Asteraceae	Compositae	FPR.207,V.265
			167	237		Critonia portoricensis (Urb.) Britton&P.Wilson, nd	5.30		Asteraceae	Compositae	n.d., FPR 207
111	YebM VMT		168	238	111	Cyanthillium cinereum (L.) H. Rob., Rabo de juey, Yerba socialista			Asteraceae	Compositae	n.d., FPR 207
112	YebM CUL	T	169	239	112	Eclipta prostrata (L.) L., Eclipta blanca - Conga Lala	3.12	F	Asteraceae	Composit	116,WPoB. FPR.207,V.269
			240			Egletes prostrata w. Kunthe, nd.	6.33	F	Asteraceae	Compositae	n.d., FPR 208
		T	241			Elephantopus mollis Kunth in HBK., Lengua de vaca	6.33	F	Asteraceae	Composit	200FPR.34 FPR.208,V.271
			242			Eleutheranthera ruderalis (Sw.) Sch.-Bip., Ogiera	6.33	F	Asteraceae	Compositae	FPR.208,V.272
		VT	243			Emilia coccinea (Sims) G. Don,	4.21		Asteraceae	Compositae	FPR.208,V.275
113	YebM VMT	G	170	244	113	Emilia fosbergii Nicolson, Clavelillo colorado/de Caf	5.30	F	Asteraceae	Composit	200FPR.35 FPR.208,V.275
		VT	171	245	20	Emilia sonchifolia (L.) DC. In Wight, Y. socialista, Hu	3.12	F	Asteraceae	Compositae	FPR.208,V.277
		T	246			Erechtites heiracifolios (L.) Raf. Ex DC. Var. hieraciif	5.30		Asteraceae	Compositae	FPR.208,V.280
		T	247			Erigeron cuneifolius DC., nd.	6.33		Asteraceae	Compositae	FPR.208,V.283
			172	248		Erigeron bellioides DC.,Bellorita -	5.30		Asteraceae	Compositae	FPR.208,V.282



			249		<i>Ganaphalium dominguese</i> Lam., Botoncillo - Cutwee	5.30	Asteraceae	Compositae	FPR 210, V.301		
			250		<i>Gundlachia corymbosa</i> (Urb.) Britton ex Bold., Serer	2.10	Asteraceae	Compositae	FPR.210,V.303		
			251		<i>Hebeclinium macrophyllum</i> (L.) DC., nd.	6.33	Asteraceae	Compositae	n.d., FPR 210		
114	YebP CulFI	V	173	252	114	<i>Lactuca intybasea</i> Jacq., Wild lettuce [Wht-Ylw] CulFI		Asteraceae	Composit: SPoF&C.15: FPR.211,nd.		
		T	253		<i>Lactuca sativa</i> L., Lechuga - Lettuce [Wht-Ylw] CulF	5.30	Asteraceae	Composit: SPoF&C.15: FPR.211,V.309			
		GT	174	254	<i>Langacea mollis</i> Cav., nd.	6.33	F	Asteraceae	Compositae	FPR.211,V.310	
		V	256	255	<i>Launaea intybasea</i> (Jacq.) Beuauverd, Achicoria azu	5.30	F	Asteraceae	Compositae	FPR.211,V.312	
		VT	175	257	<i>Lepidaploa glabra</i> (Willd.) H. Rob, nd	6.33		Asteraceae	Composit: 200FPR.38	n.d., FPR 211	
	aamVG		176	258	21	<i>Melanthera aspera</i> Jacq.) Small, Salaillo - [Wht]	3.12	F W	Asteraceae	Compositae	New AEA-M n.d., FPR 211
115	YebP CulFI	T	177	259	115	<i>Melanthera nivea</i> (L.) Small, - Snow squarestem [Wh	3.12	F	Asteraceae	Compositae	n.d., FPR 211
		T	260		<i>Mikania cordifolia</i> (L.f.) Willd. In L., Guaco	6.33		Asteraceae	Compositae	FPR.211,V.319	
	aamVG	T	178	261	22	<i>Neurolaena lobbata</i> (L.) R. Br., Sepi -	6.33		Asteraceae	Compositae	n.d., FPR 212
		VT	179	262	23	<i>Parthenium hysterophorus</i> L., Ajenjo/ Artemisa cima	3.12	F	Asteraceae	Composit: 200FPR.40	FPR.212,V.324
			180	263	<i>Pectis ciliaris</i> L., Romero cimarron	5.30		Asteraceae	Compositae	FPR.212,V.327	
		V	181	264	<i>Pectis elongata</i> HBK. Var. floribunda (A. Rich.) Kiel, i	5.30		Asteraceae	Compositae	FPR.212,V.328	
		V	182	265	<i>Pectis humifusa</i> Sw., Yerba de San Juan -	5.30	F	Asteraceae	Compositae	FPR.212,V.328	
		VT	183	267	24	<i>Pectis linifolia</i> L., Romero cimarron/ macho	3.12	F	Asteraceae	Compositae	FPR.212,V.329
		GVT	184	269	25	<i>Pluchea carolinensis</i> (Jacq.) G. Don in Sweet, Salvia	3.12	F	Asteraceae	Compositae	FPR.213,V.334
		AT	185	270	26	<i>Pluchea odorata</i> (L.) Cass., Salvia	3.12	F	Asteraceae	Compositae	FPR.213,V.335
		T	186	272	<i>Porophyllum ruderales</i> (Jacq.) Cass., Y. porosa -	6.33		Asteraceae	Compositae	FPR.213,V.337	
		VT	187	273	<i>Pseudogynoxys chenopodioides</i> (Kunth) Cabrera, Ma	5.30	F	Asteraceae	Compositae	FPR.213,V.343	
			188	275	<i>Peterocaulon alopecuroideum</i> (Lam.) DC., Escobilla	6.30		Asteraceae	Compositae	FPR.214,V.345	
			189	276	<i>Peterocaulon virginatm</i> (L.) DC., nd	6.30		Asteraceae	Compositae	FPR.214,V.345	
			190	277	<i>Sclerocarpus africanus</i> Jacq. Ex Murr., nd	6.30		Asteraceae	Compositae	FPR.214,V.350	
		T	191	278	27	<i>Sonchus asper</i> (L.) Hill, Archicoria silvestre,Chicoria	3.12	F	Asteraceae	Compositae	FPR.214,V.353
		T	279	279	<i>Sonchus oleraceus</i> L., Archicoria/ A. silvestre,Chico	3.12	F	Asteraceae	Compositae	n.d., FPR 214	
116	YebM VMT	GT	192	280	116	<i>Shagneticola trilobata</i> (L.) Pruski, nd.,	6.33	F	Asteraceae	Composit: 200FPR.41	n.d., FPR 214
			281		<i>Synedrella nodiflora</i> (L.) Gaertn., Cerbatana, Serbat	3.12	F	Asteraceae	Com.,200I CWiPR&VI.1	FPR.214,V.358	
			282		<i>Targetes erecta</i> L., Clavel de muerto, Ruda de pastos - African m			Asteraceae	Compositae	FPR.214,V.360	
		T			<i>Tithonia diversifolia</i> (Hemsl.) A. Grey, Mirasol, Girasc	6.30		Asteraceae	Composit: 200FPR.43	FPR.215,V.364	

117	YebM	VMT	T	193	283	117	Tridax procumbens L., Pancha - Tridax		Asteraceae	Composit: 200FPR.44	FPR.215,V.366		
				194	284		Verbesina alata L., Capitaneja, Manzanilla cimarrona	6.30	F	Asteraceae	Composit: 200FPR.45	FPR.215,V.368	
118	YebM	VMT	GV	195	285	118	Vernonia {cyanthillium} cinerea (L.) Lessing, Rabo d	3.12	W	Asteraceae	Compositae	FPR.215,V.372	
119	YebM	VMT	VT	196	286	119	A Wedelia calycina L.C.Rich. In Pers. var. calycina, Mar	3.12	F	Asteraceae	Composit: FoLA.DIII, C	FPR.216,V.376-7	
120	BM	VMT		197	287	120	Wedelia lanceolata DC., - Creepingoxeye [Ylw]			Asteraceae	Compositae	FPR.216,V.377	
			T	198	288		Xanthium strumarium L. var. strumarium, nd	6.30		Asteraceae	Compositae	n.d., FPR 216	
				199	289		Zinnia elegans Jacq., Clavel - Garden zinnia	6.30		Asteraceae	Compositae	FPR.216,V.384	
			V	290			Zinnia Peruviana (L.) L., Clavon, Clavelon, Escopetor	4.21		Asteraceae	Compositae	FPR.216,V.384	
121	BM	CulLaFla	T	200	291	121	Anredera versicaria (Lam.) C.F. Gaertn., Suelda cons	6.30		Basellaceae	BPTr.111	FPR.57,I.211	
122	BM	Cul Pta. Sold	T	201	292	122	Basella alba L., Aiselga trepadora, Bretaña Libato - C	6.30	F	Basellaceae		FPR.57,I.212	
123	YebPM	CulFull	AT	202	293	123	Batis maritima L., Barilla, Planta de sal - Saltwort [C]	2.12	F	Bataceae	WPIC.53,EdU	FPR.41,I.45	
				294			Amphitera latifolia (Mill.) A> H. Gentry,Higuerillo/rita	7.33	F	Bignoniaceae		FPR.185,IV.516	
				203	295		Amohilophium paniculata L. Kunth, Liana de cuello -	6.30	F	Bignoniaceae		nd.,FPR.185	
				296			Catalpa longuisima (Jacq.) Dum. Cours., Roble domi	7.33	F	Bignoniaceae		FPR.185,IV.520	
124	AMM	CUL	GVT	204	297	124	Crescentia cujete L., Cocoa, Higuerillo - Calabash/tre	6.30	F	Bignoniaceae	TTofVI.62	FPR.185,IV.522	
125	AMM	VMT		205	298	125	Crescentia linearifolia Miers., Higuerillo/ta/to -.	6.30	F	Bignoniaceae		FPR.186,IV.523	
		aamVG		206	299	28	Cydista aequinoctialis (L.) Miers., Bejuco blanco, Lia	7.33	F	Bignoniaceae		FPR.185,IV.525	
126	BM	VMT		207	300	126	Distictis lactiflora (Vahl) DC., Liana Fragante, Pegapalo - [wht]			Bignoniaceae	200FPR.50	BPTr1118	FPR.186,IV.526
127	BM	CulLagFla	G	208	302	127	Dolichodra {Macfadyena} unguis -cati (L.) A. Gentry,l	2.12	F	Bignoniaceae		FPR.186,IV.532	
			T	301			Jacaranda mimosifolia D.Don, Flamboyán azul, Abey	6.30		Bignoniaceae	TFP.139	FPR.186,IV.530	
128	BJ	VMT	Exotic	209	303	128	Mansoa alliance (Lam.) A.H. Gentry, Bejuco de ajo, Mata de ajo - C			Bignoniaceae	USDA Pla	ATeF.429	FPR.186,IV.534
			T	304			Podrana ricasoliana (Tanfani) T. Sprague,	6.30	F	Bignoniaceae	TFP.141	FPR.186,IV.538	
			VT	210	305		Spathodea campanulata P. Beauv., Tulipan africano,	6.30	F	Bignoniaceae		FPR.187,IV.544	
129	AGM	CUL		211	306	129	Tabebuia aurea (Silva Manso) Beath. & Hook.f.ex S. Moore,			Bignoniaceae		FPR.187,IV.547	
130	AGM	CUL		212	307	130	Tabebuia chrysantha (Jacq.) G. Nichel., Roble amarillo - Yellow pc			Bignoniaceae		FPR.187,IV.548	
131	AGM	VMT	GAT	213	308	131	Tabebuia heterophylla (DC.) Britton, Roble Blanco - White Cedar			Bignoniaceae	Poui	FPR.187,IV.549	
			GAT	309			Tabebuia lepidota (Kunth) Britton,	6.30		Bignoniaceae	TFP.145	FPR.188,IV.551	
132	AGM	CUL		214	310	132	Tabebuia rosea (Bertol.) DC., Roble Venezolano - Pir	3.12	F	Bignoniaceae	Catalpa	FPR.188,IV.551	
	ArbEx	VMT	Exo	311			Tecoma capensis (Thumb.) Lindt., Jazmin trompta, T	7.33	F	Bignoniaceae		FPR.188,IV.553	
133	ArbM	CUL	GVT	215	312	133	Tecoma stans (L.) A.Juss. Ex Kunth, Roble Amaril - Ylw Elder , Ing			Bignoniaceae	Poui	FPR.188,IV.553	



			AVT	240	344		<i>Catopsis floribunda</i> L.B.Sm., - Florida strap airplant	7.30		Bromeliaceae		FPR.252
149	Bro&H	VMT		241	345	149	<i>Cryptanthus bivittatus</i> (ibrido) (Hook) Regel, - Pink starlite {Pnk lf}			Bromeliaceae		nd.,FPR.252,
150	Bro&H	VMT		242	346	150	<i>Cryptanthus arelii</i> H. Luther, - Earth star [Wht Flwr] {Brwn lf}			Bromeliaceae		nd.,FPR.252,
					347		<i>Hohenbergia antillana</i> , Mez.in DC., nd.	4.17		Bromeliaceae		FPR.252
			T	243	348		<i>Pitcarnia agustifolia</i> Sol. Ex Aiton var <i>agustifolia</i> , Eri	7.30	F	Bromeliaceae		FPR.252
					349		<i>Pitcarnia jareckii</i> Proctor&Cedeno-Mald., nd	4.17		Bromeliaceae		nd.,FPR.252
			G	244	350	33	<i>Tilladsia fasciculata</i> Sw., Nido parasito - Bunch mos	7.30	F	Bromeliaceae		FPR.253
			V	245	351		<i>Tilladsia recurvata</i> (L.) L., Nido de gungulen - Bunch	7.30		Bromeliaceae		FPR.253
151	Bro&H	VMT	GAV	246	352	151	<i>Tillandsia utriculata</i> L., - Wild Pine, Spreading airplar	4.12	F	Bromeliaceae	FW.437	FPR.253, ncf
152	Bro&H	VMT		247	353	152	<i>Tillandsia viriabilis</i> Schltr., Piñuela - Soft-leaf/Leathe	7.30		Bromeliaceae		FPR.253
				248	354		<i>Tilladsia x lineatispica</i> Mez., nd	7.30	F	Bromeliaceae		nd., FPR.253
153	AGM	VMT	GVT	355	153		<i>Bursera simuruba</i> (L.) Sarg., Almancigo - Turpentine			Burseraceae	EFF	FPR.93.II.289
			T	356			<i>Tetragastris balsamifera</i> (Sw.) Kuntze, Masa, Palo de	8.30	F	Burseraceae	EFF	FPR.93.II.292
	CulCBalc		B	249	357	34	<i>Buxus portoricensis</i> , Alain, - Puerto Rican box			Buxaceae		FPR.107,II.435, V.407
154	C	VMT		250	358	154	<i>Cereus hexagonus</i> (L.) P. Miller, Cacto columnar - Lady of the nigr			Cactaceae	Gft.JS	A,Ed,TCF.1; FPR.132,III.308
155	C	CUL		251	359	155	<i>Consolea falcata</i> (Ek. & Weld.) F.M. Kunth in Backeb.&F.M.Kunth,			Cactaceae	butuki	A,Ed,TCF.1; nd., FPR.132
156	C	CUL		252	360	156	<i>Consolea</i> { <i>Opuntia</i> } <i>moniliformis</i> (L.) A. Berger, Tuna, Alpagata			Cactaceae	Ply. X	FPR.134,III.327
157	C	VMT	GVT	253	361	157	<i>Consolea rubescens</i> (Salm-Dyck ex DC.) Lem., Tunz	4.12	F	Cactaceae		A,Ed,TCF.1; nd., FPR.132
158	C	CUL		254	362	158	<i>Echinocactus grussoni</i> Hildman, Barril dorado, Bola de oro - Gol			Cactaceae		A,Ed,TCF.2; nd., FPR.133
159	C	CUL		255	363	159	Exo <i>Epiphyllum hookeri</i> (Link & Otto) Haw., Flor debaile/retreta - [Wht]			Cactaceae		A,Ed,TCF.2; FPR.133, II.310
160	C	VMT	GVT	256	364	160	<i>Hylocereus trigonus</i> (Haw.) Safford, Pitajaya -Night l	7.30	F	Cactaceae		A,Ed,TCF.3; FPR.133,III.313
161	C	VMT	VT	257	365	161	<i>Hylocereus undatus</i> (Haw.) Britton & Rose subsp. Ui	8.33	F	Cactaceae		A,Ed,TCF.3; FPR.133,III.313
162	C	VMT		258	366	162	<i>Leptocereus gratianus</i> Britt., <b>Endangered Species</b>			Cactaceae	WT South I	A,Ed,TCF.3; FPR.133,III.315
163	C	CUL		259	367	163	<i>Leptocereus paniculatus</i> (Lamark) D.R. Hunt			Cactaceae	C. Pl. Pt. §	A,Ed,TCF.3; n.d., FPR 133
					368		<i>Leptocereus quadricostatus</i> (Bello) Britt. & Rose, Pitahaya, Sebu			Cactaceae	WT South I	A,Ed,TCF.3; FPR.133,III.315
164	C	VMT	GT	260	369	164	<i>Mammillaria nivosa</i> Link ex Pfeiff., wholly nipple cactus - erizo lan			Cactaceae	acanti pla	A,Ed,TCF.4; FPR.133,III.317
165	C	CUL	GAVT	261	370	165	<i>Melocactus intortus</i> (Mill.) Urb. Subsp. <i>intortus</i> , Melc	8.30	F	Cactaceae		A,Ed,TCF.4; FPR.133,III.317
166	C	VMT		262	371	166	<i>Melocactus levitestatus</i> Briin.&Breder., -	8.30	F	Cactaceae		A,Ed,TCF.4; FPR.133,III.317
					372		<i>Opuntia antillana</i> Britton & Rose, - Bull suckers	9.33	F	Cactaceae		A,Ed,TCF.4; FPR.133,III.321
167	C	VMT		263	373	167	<i>Opuntia</i> ( <i>Nopalea</i> ) <i>cochenillifera</i> (L.) Miller, Cochineal plant, higo			Cactaceae		A,Ed,TCF.4; FPR.133,III.322
168	C	VMT	GAVT	264	374	168	G <i>Opuntia dillenii</i> , (Ker-Gawl.) Haw., Higo de mar, Prick	8.30	F	Cactaceae		A,Ed,TCF.4; FPR.133,III.322





































195	Mngl	VMT			300	426	195	<i>Conocarpus erectus</i> L. var. <i>sericeus</i> Fors. ex D.C., Mangle plateac	9.30	F	Combretaceae	ATeF.82	FPR.137,n.d.
196	Mngl	VMT	GA	T	301	427	196	<i>Laguncularia racemosa</i> (L.) Gaertn., Mangle Blanco	9.30	F	Combretaceae		FPR.137,III.371
197	AGF	VMT	GVT		302	428	197	<i>Terminalia catappa</i> L., Almendro - Indian Almond	9.30	F	Combretaceae		FPR.137,III.375
198	GCM	VMT	GT		303	429	198	<i>Callisia fragrans</i> (Lindl.) Woodson , - Basket plant [w	9.30	F	Commelinaceae	Spiderwort	FPR.254,
199	GCM	VMT	GVT		304	430	199	<i>Callisia repens</i> (Jacq.), Belleza, Cohitre enano, Leng	9.30	F	Commelinaceae	Spiderwort	FPR.254,
200	GCM	VMT	GAVT		305	431	200	<i>Commelina diffusa</i> Burm., Cohitre - Day flower, Fren	9.30	F	Commelinaceae	Spiderwort	200FPR.58 FPR.254,
201	GCM	VMT			306	432	201	<i>Commelina erecta</i> {elegans}, Cohitre Azul - Pond Gr	9.30	F	Commelinaceae	Spiderwort	200FPR.59 FPR.254,
					307	433		<i>Gibasis geniculata</i> (Jacq.) Rugweder, Cohitre azul -	9.30	F	Commelinaceae	Spiderwort	FPR.254,
202	GCM	VMT	G		308	434	202	<i>Tradescantia pallida</i> (rose) Hunt, Cohitre morado - P	9.30	F	Commelinaceae	Spiderwort	FPR.255,
203	GCM	VMT	GV		309	435	203	<i>Tradescantia spathacea</i> Sw., Sanguinaria - Boat Lily	9.30	F	Commelinaceae	Spiderwort	nd.,FPR.255,
204	GCM	VMT			310	436	204	<i>Tradescantia spathathea</i> Sw. var. <i>bermudensis</i> variegata, Hawiaii	9.30	F	Commelinaceae	Spiderwort	nd.,FPR.255,
					311	437		<i>Tradescantia zebrina</i> Hort. Ex Bosse, cohitre morad	10.30	F	Commelinaceae	Spiderwort	FPR.255,
					438			<i>Argyreia nervosa</i> (Burm. F.) Bojer, nd., [Wht]	10.33	F	Convolvulaceae		FPR.164,IV.252
205	BM	VMT	GT		312	439	205	<i>Convolvulus nodiflorus</i> Desv., Aguinaldo blanco, Cai	5.12	F	Convolvulaceae	200FPR.60 BTPPR.161	FPR.163,IV.254
206	BP	Culbr	GVT		313	440	206	<i>Cuscuta americana</i> L., Bejuco de Mona, Fideos - Y. l	5.12	F	Convolvulaceae	FoLA.138	FPR.164,IV.256
					441			<i>Cuscuta globulosa</i> , [Str Ylw]	10.30	F	Convolvulaceae		FPR.164,IV.256
					314	442		<i>Cuscuta umbellata</i> HBK. ,	10.30	F	Convolvulaceae		FPR.163,IV.258
					443			<i>Evolvulus alsinoides</i> (L.) L.,	7.21	F	Convolvulaceae		FPR.163,IV.260
			AT		315	444		<i>Evolvulus convolvuloides</i> (Willd.&Schul.)Stearn in T:	9.30	F	Convolvulaceae		FPR.163,IV.261
			V		445			<i>Evolvulus filipes</i> Mart., nd	11.33	F	Convolvulaceae		nd. FPR.163
					446			<i>Evolvulus nummularius</i> (L.) L., Agracejo rastrero - {V	11.33	F	Convolvulaceae	200FPR.61	FPR.163,IV.261
			AT		316	447		<i>Evolvulus sericeus</i> Sw., nd	9.30	F	Convolvulaceae		FPR.163,IV.261
					448			<i>Evolvulus squamosus</i> Britton,	4.10	F	Convolvulaceae		nd. FPR.163
					449			<i>Evolvulus tenuis</i> Mart. Ex Chisy ssp. <i>Longifolius</i> (ch	11.33	F	Convolvulaceae		nd. FPR.163
					317	450		<i>Ipomoea alba</i> L., Bejuco de vaca, Claro de luna Glori	9.30	F	Convolvulaceae	Ipomoea	FPR.164,IV.266
			VT		318	451		<i>Ipomoea batatas</i> (L.) La m., Batatas - Sweet potato	9.30	F	Convolvulaceae	Ipomoea	FPR.164,IV.268
207	ArbM	CulMñRd	V		319	452	207	<i>Ipomoea carnea</i> Jacq. spp. <i>fistulosa</i> Mart. Ex Chois	10.30	F	Convolvulaceae	Ipomoea	FPR.67.154 FPR.164,IV.268
208	BM	VMT			320	453	208	<i>Ipomoea cordatriloba</i> Dennst., Tievine/cotton morning glory	9.30	F	Convolvulaceae	Ipomoea	BTRPR.nd FDP164,nd
209	BM	VMT	VT		321	454	209	<i>Ipomoea eggersii</i> (House) D.F. Austin, - Jumby pota	5.12	F	Convolvulaceae	Ipomoea	BTRPR.166 FDP.164,nd
		aamVG			322	455	42	<i>Ipomoea hederifolia</i> L., Cambustera	10.30	F	Convolvulaceae	Ipomoea	FPR.164,IV.269
		BP C/Vieq			323	456		<i>Ipomoea imperati</i> (Vahl.) Griseb., Batatilla, Bejuco de	5.12	F	Convolvulaceae	Ipomoea	BTRPR.168 FPR.164,IV.269
210	BM	VMT	T		324	457	210	<i>Ipomoea indica</i> (Burm.) var. <i>acuminata</i> (Vahl) Fosbei	5.12	F	Convolvulaceae	Ipomoea	PAR,BPTre FPR.164,IV.270

211	BM	VMT		325	458	211	<i>Ipomoea indica</i> (Burm.f.) { <i>purpurea</i> }(L.) Roth., Merr., Bejuco de gl	Convolvulaceae	<i>Ipomoea</i>	PAR,BPTre	FPR.164,IV.270
			T	326	459		<i>Ipomoea nil</i> (L.) Roth., Bejuco de vaca	10.30 F	Convolvulaceae	<i>Ipomoea</i>	FPR.164,IV.272
212	BP	VMT	GAVT	327	460	212	<i>Ipomoea pes-caprae</i> (L.) R. Br. In Tuvkey, Bejuco de	10.30 F	Convolvulaceae	200FPR.64	200FPR.64 FPR.165,IV.273
			T	461			<i>Ipomoea quamoclit</i> L., Bejuco de cipres\ de coral - C	11.33	Convolvulaceae	200FPR.65	200FPR.65 FPR.163,IV.261
			T	462			<i>Ipomoea respanda</i> Jacq., Bejuco colorado - [Pnk-Ce	11.33 F	Convolvulaceae	200FPR.66	200FPR.66 FPR.163,IV.261
213	BM	CUL		328	463	213	<i>Ipomoea setifera</i> Poir .in. Lam., B. de puerco, Gloria	10.30 F	Convolvulaceae	200FPR.67	200FPR.67 FPR.165,IV.274
			aamVGVT	329	464	43	<i>Ipomoea steudelii</i> Millsp., [Rd,Pnk,Lil.,Purpsh,Wht.]	5.12 F	Convolvulaceae	200FPR.68	200FPR.68 FPR.165,IV.275
214	BM	CUL	AVT	330	465	214	<i>Ipomoea tiliacea</i> Willd.) Choisy in DC., Bejuco de pue	5.12 F	Convolvulaceae	200FPR.69	PAR,BPTre FPR.165,IV.275
			G	466			<i>Ipomoea tricolor</i> Cav., Bejuco de puerco - Granny v.	11.33 F	Convolvulaceae	<i>Ipomoea</i>	200FPR.69 FPR.163,IV.261
215	BM	CUL	VT	331	467	215	<i>Ipomoea triloba</i> L., Bejuco de puerco [Pnk-Pur]	10.30 F	Convolvulaceae	200FPR.70	200FPR.70 FPR.165,IV.277
216	BP	CUL	GT	332	468	216	<i>Ipomoea violecea</i> L., Bejuco de lina, Flor de l. - C. M	10.30 F	Convolvulaceae	200FPR.71	200FPR.71 FPR.165,IV.277
217	BM	VMT	T	333	469	217	<i>Jacquemontia cumanensis</i> (Kunth) Kuntze, Aquinalc	10.30 F	Convolvulaceae	Connaraceae	FPR.165,IV.280
			A	470			<i>Jacquemontia cayensis</i> Britton, - Sandyplain cluster	4.10 F	Convolvulaceae	Connarac	ToB.140,SP FPR.165,IV.280
			GVT	334	471	44	<i>Jacquemontia havanensis</i> (Jacq.) Urb., Aquinaldode	5.12 F	Convolvulaceae	Connaraceae	FPR.166,IV.281
218	BM	CUL	GVT	335	472	218	<i>Jacquemontia pentanthos</i> (Jacq.) G. Don, Aquinaldo	5.12 F	Convolvulaceae	Connarac	200FPR.73 FPR.166,IV.281
			G	336	473		<i>Jacquemontia solanifolia</i> (L.) Hallier f., Cambustera	10.30 F	Convolvulaceae	Connaraceae	FPR.166,IV.283
				474			<i>Jacquemontia tamnifolia</i> L. Griseb., Aguinaldo pelud	11.33 F	Convolvulaceae	Connarac	200FPR.74 FPR.166,IV.283
219	BM	VMT	T	337	475	219	<i>Merremia aegyptia</i> (L.) Urb., - White Bell, Hairy Woc	11.33 F	Convolvulaceae		200FPR.75 FPR.166,IV.284
			T	476			<i>Merremia cissoides</i> (L.) Hall.f., [Str Ylw]	10.30 F	Convolvulaceae		FPR.166,IV.285
			T	338	477	45	<i>Merremia dissecta</i> (Jacq.) Hall.f., Noyo - Know-you, l	10.30 F	Convolvulaceae		200FPR.76 FPR.166,IV.285
220	BM	VMT	GT	339	478	220	<i>Merremia quinquefolia</i> (L.) Hall.f., Batatilla Blanca -	11.33 F	Convolvulaceae		200FPR.77 FPR.166,IV.287
221	BM	VMT	T	340	479	221	<i>Merremia umbellata</i> (L.) Hallier f., Aquinaldo Amar - \	5.12 F	Convolvulaceae		200FPR.78 FPR.166,IV.288
				480			<i>Operculina turpethum</i> (L.) S.Mansovar turpethum,	11.33	Convolvulaceae		FPR.166,IV.288
				481			<i>Operculina turpethum</i> (L.) S.Manso var <i>ventricosa</i> (E	11.33	Convolvulaceae		FPR.166,IV.288
			T	341	482		<i>Poranopsis paniculata</i> (Roxb.) Roberty, Velo de novi	10.30 F	Convolvulaceae		FPR.166,IV.289
			GV	342	483		<i>Stictocardia tiliifolia</i> (Desr.) Hallier f., nd	10.30 F	Convolvulaceae		FPR.166,IV.291
			T	484			<i>Turbina corymbosa</i> (L.) Raf., Batatilla Blanca -	10.30 F	Convolvulaceae		FPR.166,IV.292
222	ArbEx	VMT		343	485	222	<i>Cheilocostus speciosus</i> (J.Konig) C.Spech, Gengibre spiral - Spir		Costaceae	Zingiberaceae	FPR.305, nd.
				486			<i>Costus scaber</i> Ruiz & Pav.,	12.33	Costaceae	Zingiberaceae	FPR.305, nd.
223	Succu	VMT		344	487	223	<i>Kalanchoe blossfeldiana</i> Poelln., - Christmas K. [Red]		Crassulaceae	SPW.70	FPR.66, I.309
224	Succu	VMT		345	488	224	<i>Kalanchoe daigremontiana</i> Hammel&Perrier - Mexican Hat p. [p.P]		Crassulaceae	ExInt.I.904	FPR.66, I.309
			T	489			<i>Kalachoe laxiflora</i> Baker, nd.	10.30	Crassulaceae		nd. FPR.66,
			T	490			<i>Kalachoe marmorata</i> Baker, nd.	10.30	Crassulaceae		nd. FPR.66,

225	Succu	VMT		346	491	225	<i>Kalanchoe pinnata</i> (Lam.) Pers., Bruja, Y bruja, Hoja	10.30	F	Crassulaceae	TFP.182,WPoB FPR.66, I.311
226	Succu	VMT		347	492	226	<i>Sedum reflexum</i> {rupestre} var. <i>angelina</i> , Stonecrop [Ylw			Crassulaceae	FPR.nd.
227	AGM	VMT		348	493	227	<i>Cupressus sempervirens</i> L., Ciprés Mediterraneo - Italian Cypress			Cupressaceae	Exotic FPR.nd
228	AMM	CUL		349	494	228	<i>Thuja occidentalis</i> L., Cipres oriental - Asiatic Arbor vitae			Cupressaceae	Exotic FPR.37
	aam	V		350	495	46	<i>Cayaponia americana</i> (Lam) Cogn., Bejuco de torero	5.12	F	Cf Curcurbitaceae	FPR.202,V.185
					496		<i>Cayaponia racemosa</i> (Mill.) Cogn. (Lam) Cogn., Celo	11.30		Curcurbitaceae	FPR.202,V.185
					497		<i>Citrullus lanatus</i> (Thunb.) Matsum&Nakai, Patilla, Sa	5.12	F	Curcurbitaceae	FPR.202,V.185
					351	498	<i>Coccinea grandis</i> (L.) Voi., nd	10.30	F	Curcurbitaceae	nd.,FPR203,
				352	499	47	<i>Cucumis anguria</i> L., Cochombro, Pepinillo - Cherkir	5.12	F	Curcurbitaceae	FPR.203,V.189
229	BM	VMT		353	500	229	<i>Cucumis dipsaceus</i> Ehrenb.exSpachL., Cochombro	8.21	F	Curcurbitaceae	nd. FPR.203,
					501		<i>Cucumis sativus</i> L., Pepino, Cohombo - Cucumber	8.21	F	Curcurbitaceae	FPR.203,V.190
					502		<i>Curcubita moshata</i> Duch ex Poir, Calabaza - Pumkin	8.21		Curcurbitaceae	FPR.203,V.191
230	V&Es	CUL		354	503	230	<i>Curcubita pepo</i> L. var. <i>pepo</i> , Calabaza - Field Pumpkin [Ylw]			Curcurbitaceae	FPR.203,V.192
231	BM	VMT		355	504	231	<i>Doyerea emetocathartica</i> Grosourdy, - Coral fruit [Yl	5.12	F	Curcurbitaceae	BPTPR.211 FPR.203,V.193
				356	505		<i>Lagenaria siceraria</i> (Molina) Standley, Calabazo, Cai	10.30	F	Curcurbitaceae	FPR.203,V.196
				357	506		<i>Luffa aegyptiaca</i> Miller, Esponja, Estrapo -Sponge cu	10.30	F	Curcurbitaceae	FPR.203,V.198
				358	507		<i>Melothria pendula</i> L., Pepinito	11.30	F	Curcurbitaceae	FPR.204,V.200
232	BM	VMT		359	508	232	<i>Momordica charantia</i> L., Cundeamor - Wild balsam a	5.12	F	Curcurbitaceae	200FPR.79 FPR.204,V.202
					509		<i>Sechium edule</i> (Jacq.) Sw., Chayote, Tallote - White	8.21		Curcurbitaceae	FPR.204,V.206
					510		<i>Holodule beaudettei</i> (Hartog) Hartog,	12.33		Cymodoceaceae Zannichelliaceae	nd. FPR.218, nd.
				360	511		<i>Holodule wrightii</i> Aschers, nd	11.30		Cymodoceaceae Zannichelliaceae	FPR.218, nd.
				361	512	48	<i>Syringodium filiforme</i> Kutz.. <i>Y. manati</i> - Manati g.	5.12		Cymodoceaceae Zannichelliaceae	FPR.218, nd.
				513			<i>Abildgaardia ovata</i> (Burm.f.) Kral, nd,	11.30	F	Cyperaceae	200FPR.80 FPR.237,
				514			<i>Bulbostylis curassavica</i> (Britton) Kuk., nd	4.10		Cyperaceae	FPR.238,
				362	515		<i>Bulbostylis pauciflora</i> (L.) Kunth ssp. <i>Antillana</i> (Britt	11.30		Cyperaceae	FPR.238,
				516			<i>Cyperus aggregatus</i> Willd. Endl. var. <i>aggregatus</i> ,	12.33		Cyperaceae	FPR.238,
				517			<i>Cyperus articulatus</i> L., Junco cimarron -	12.33		Cyperaceae	FPR.238,
				363	518		<i>Cyperus brunneus</i> Sw., nd	11.30		Cyperaceae	FPR.238,
				364	519	49	<i>cyperus compressus</i> L., nd.	5.12		Cyperaceae	FPR.238,
				520			<i>Cyperus confertus</i> Sw. ,	12.33		Cyperaceae	FPR.238,

			T	365	521		<i>Cyperus distans</i> L. f.,nd	11.30		Cyperaceae	FPR.239,
			V		522		<i>Cyperus elegans</i> L.,	12.33	F	Cyperaceae	FPR.239,
			A	366	523		<i>Cyperus esculentus</i> L., Chufas -	11.30		Cyperaceae	FPR.239,
					524		<i>Cyperus filiformis</i> Sw.,	12.33		Cyperaceae	FPR.239,
					525		<i>Cyperus flexuosus</i> Vahl.,	12.33		Cyperaceae	FPR.239,
			A	367	526		<i>Cyperus fuliginus</i> Chapm.,nd	11.30		Cyperaceae	nd.,FPR.239,
			V	368	527		<i>Cyperus involucratuss</i> Rottb.,nd	11.30		Cyperaceae	200FPR.81 nd., FPR 240
				369	528		<i>Cyperus iria</i> L.,nd	11.30		Cyperaceae	FPR.240,
			VT	370	529	50	<i>Cyperus lingularis</i> L., Junco de agua -	5.12		Cyperaceae	200FPR.82 FPR.240,
			GVT	371	530		<i>Cyperus nanus</i> Willd., nd.	11.30	F	Cyperaceae	FPR.240,
			VT	372	531		<i>Cyperus odoratus</i> L.,nd	11.30		Cyperaceae	200FPR.83 FPR.240,
233	YerP	VMT	GAT	373	532	233	<i>Cyperus planifolios</i> L.C. Rich.,	5.12	2.3	Cyperaceae	PAR,FSJ.48 FPR.241,
234	YerM	VMT	V	374	533	234	<i>Cyperus polystachyos</i> Rottb., manyspike flatsedge			Cyperaceae	200FPR.84 FPR.241,
235	YerM	VMT	GVT	375	534	235	<i>Cyperus rotundus</i> L., coqui - nutgrass	11.30	F	Cyperaceae	PAR,FSJ.48 FPR.241,
				376	535		<i>Cyperus sphacelatus</i> Rottb., nd	11.30		Cyperaceae	FPR.241,
			A		536		<i>Cyperus squarrosus</i> L.,	13.33		Cyperaceae	nd. FPR.241,
				377	537		<i>Cyperus surinamensis</i> Roth.,nd	11.30		Cyperaceae	200FPR.85 FPR.241,
			GAT		538		<i>Cyperus uifolios</i> Boeck.,	11.30		Cyperaceae	FPR.241,
				378	539		<i>Cyperus urbanii</i> Boeck.,nd	11.30		Cyperaceae	FPR.241,
					540		<i>Eleocharis flavescens</i> (Poir) Urban, nd.	13.33		Cyperaceae	FPR.242,
			T	379	541		<i>Eleocharis geniculata</i> (L.) Roem. &Schult.,nd	11.30		Cyperaceae	FPR.242,
					542		<i>Eleocharis interstincta</i> (Vahl.) Roem.&Shult.,	13.33	F	Cyperaceae	FPR.242,
					543		<i>Eleocharis minutiflora</i> Boeck.,	13.33		Cyperaceae	FPR.242,
			AT	380	544	51	<i>Eleocharis mutata</i> (L.) R.&S., nd.	5.12		Cyperaceae	FPR.242,
					545		<i>Eleocharis retroflexa</i> (poir.) Urb. Sbsp. retroflexa,	13.33		Cyperaceae	FPR.242,
			G	381	546		<i>Fimbristylis cymosa</i> R. Br., nd.	11.30		Cyperaceae	200FPR.86 FPR.242,
			VT		547		<i>Fimbristylis dichotoma</i> (L.) Vahl., Junquillo -	13.33		Cyperaceae	FPR.242,
			VT	382	548	52	<i>Fimbristylis ferruginea</i> (L.) Vahl.,	5.12		Cyperaceae	nd. FPR.243,
			A		549		<i>Fimbristylis inaguensis</i> Britton,	11.30		Cyperaceae	nd. FPR.243,
			A	383	550		<i>Fimbristylis spadicea</i> (L.) Vahl., nd.	11.30		Cyperaceae	FPR.243,
					551		<i>Kyllinga brevifolia</i> Rottb.,	13.33		Cyperaceae	nd. FPR.243,
					552		<i>Kyllinga odorata</i> Vahl.,	13.33		Cyperaceae	nd. FPR.243,
			V		553		<i>Rhynchospora berteroi</i> (Spreng. ) C.B.Clarke,	13.33		Cyperaceae	nd., FPR 243
				384	554		<i>Rhynchospora ciliata</i> (G.Mey.) Kuk.. Nd	11.30	F	Cyperaceae	nd., FPR 243



241	YebM	VMT		399	584	241	<i>Chamaesyce hirta</i> (L.) Mills., Lechecillo - Milk weed, Pillpod sandr	Euphorbiaceae	WPOB.108	FPR.100,II.369
242	ArbM	VMT		400	585	242	<i>Chamaesyce hypericifolia</i> (L.) Mills., Lechera - Graceful, sandmat,	Euphorbiaceae	FWF.104	FPR.100,II.368, V.407
243	ArbM	VMT		401	586	243	<i>Chamaesyce hyssopifolia</i> (L.) Small, Lechera - Milk weed, Hyssop	Euphorbiaceae	200FPR.90	WPOB.108 FPR.100,II.369
244	YebP	VMT		402	587	244	<i>Chamaesyce mesembrianthemifolia</i> (Jacq.) Dugand, -Coastal bea	Euphorbiaceae	WPOB.108	FPR.100,II.370
245	YerM	VMT		403	588	245	<i>Chamaesyce prostrata</i> (Ait) Small, Lechecillo - Dove-Poverty weec	Euphorbiaceae		FPR.100,II.371
246	YebM	VMT		404	589	246	<i>Chamaesyce serpens</i> (H.B.Kunth) Small, Sanguinaria - Matted sa	Euphorbiaceae	WPOB.109	FPR.100,II.372
247	ArbEx	VMT	T	405	590	247	<b>Exo</b> <i>Codiaeum variegatum</i> (L.) Rumph. Ex A. Juss., Crotc <b>12.30</b>	Euphorbiaceae		FPR.99,II.359
248	ArbM	VMT	GVT	406	591	248	<i>Croton astroites</i> Dryand., Mana, Maràn - Wild marrov <b>6.12</b>	Euphorbiaceae	EFF	FPR.101,II.377
			GAT	407	592	56	<i>Croton betulinus</i> Vahl., Palo de berraco, Nanny bush <b>6.12</b>	Euphorbiaceae		FPR.101,II.377
249	ArbM	VMT	A	408	593	249	<i>Croton discolor</i> Willd., Lechillo, Palo berraco - [Wht] <b>6.12</b>	Euphorbiaceae		FPR.101,II.377
			GAVT	594			<i>Croton fishlockii</i> Brotton, <b>13.30 F</b>	Euphorbiaceae		nd.,FPR.101,
250	ArbM	VMT		409	595	250	<i>Croton flavens</i> L., Adormidera, Guayacancillo - Yellowbalsam	Euphorbiaceae	Poinsettia 200FPR.92	FPR.101,II.381
251	YebM	VMT		410	596	251	<i>Croton lobatus</i> L., <i>Croton lobulado</i> - Lobed croton [Pnk]	Euphorbiaceae	WPOB.110	FPR.101,II.380
252	ArbM	VMT		411	597	252	<i>Croton humilis</i> L., Yerba bellaca - Pepper bush <b>14.33</b>	Euphorbiaceae		FPR.100,II.379
			VT	598			<i>Croton ovalifolius</i> Vahl., nd. <b>14.33 F</b>	Euphorbiaceae		FPR.100,II.369
253	ArbM	VMT		412	599	253	<i>Croton punctatus</i> Jacq., Delvabali - Gulf croton, Silver croton	Euphorbiaceae		n.d. ,FPR.102
				600			<i>Croton trinitatis</i> Millsp., nd. <b>14.33</b>	Euphorbiaceae		n.d. ,FPR.102
254	BM	VMT	GVT	413	601	254	<i>Dalechampia scandens</i> L., Artijilla, Mala mujer, Pica-P <b>12.30 F</b>	Euphorbiaceae	Dalecampi:PTdPReVI.2:	FPR.102,II.383
			GVT	414	602		<i>Ditaxis faciculata</i> Vahl. Ex A. Juss., - Broom silverbu <b>12.30 F</b>	Euphorbiaceae		n.d.,FPR 102
255	ArbP	Culbr	GAVT	415	603	255	<i>Euphorbia articulata</i> Aubl., - Bushy spurge [CULbbr] <b>6.12 F</b>	Euphorbiaceae	200FPR.93SPoSF&C.8:	n.d., FDR 102
			A	604			<i>Euphorbia blongettii</i> Engelm. Ex Hitche., <b>12.30</b>	Euphorbiaceae		n.d.,FPR 102
			V	417	605		<i>Euphorbia cyathophora</i> Murray, Marabilla - <b>12.30</b>	Euphorbiaceae	200FPR.94	FPR.102,II.390
256	YebM	VMT	GVT	418	606	256	<i>Euphorbia heterophylla</i> L., Lechillo - Mexican firepla <b>12.30 F</b>	Euphorbiaceae	200FPR.95	FPR.103,II.391
			GV	419	607		<i>Euphorbia hirta</i> L., nd <b>12.30 F</b>	Euphorbiaceae		n.d.,FPR 102
			GT	420	608		<i>Euphorbia hypericifolia</i> L., Yerba lechera/de la niña <b>12.30</b>	Euphorbiaceae		n.d.,FPR 102
			GT	421	609	57	<i>Euphorbia hyssopifolia</i> L., Lechera, Pica pollo <b>6.12 F</b>	Euphorbiaceae		n.d., FDR 102
257	Succu	VMT	T	416	610	257	<i>Euphorbia lactea</i> {antiquorum} Haw., Moteado blanco, - White mill	Euphorbiaceae		FPR.103,II.391
258	Succu	VMT	G	422	611	258	<i>Euphorbia lactea</i> Haw., Candelero, Escambron, - Mo <b>12.30</b>	Euphorbiaceae	TO.ww.202	nd., FPR.103,
				612			<i>Euphorbia lancifolia</i> Schiltdl., Isbut <b>14.33</b>	Euphorbiaceae		nd., FPR.103,
				613			<i>Euphorbia leococephala</i> Lotsy, Pascuíta <b>13.30 F</b>	Euphorbiaceae		FPR.103,II.391
			GAT	423	614		<i>Euphorbia mesembryanthemifolia</i> Jacq., Yerba mala <b>2.3 F</b>	Euphorbiaceae		n.d., FDR 103
			G	424	615		<i>Euphorbia milii</i> , Corona de Cristo/espinas - Crown o <b>12.30</b>	Euphorbiaceae		FPR.103,II.392
				616			<i>Euphorbia mytillifolia</i> L., <b>14.33</b>	Euphorbiaceae		nd., FPR.103,
259	Succu	CulRecNat	G	425	617	259	<i>Euphorbia neriifolia</i> , - Hedge E., Oleander Spurge [Ylw-Grn]	Euphorbiaceae	F, I.588	FPR.103,II.392



					426	618	<i>Euphorbia oerstedia</i> (Klotts & Garcke) Boiss,	14.33	F	Euphorbiaceae		n.d., FDR 103
						619	<i>Euphorbia ophthalmica</i> Pers., nd	12.30		Euphorbiaceae		nd., FPR.103,
260	AMM	VMT	GVT		427	620	260 <i>Euphorbia petiolaris</i> Sims, Rascaso, Indio Desnudo	12.30	F	Euphorbiaceae		FPR.103,II.393
			GT		428	621	58 <i>Euphorbia prostrata</i> Aiton, Lechillo, Y. lechosa - Chic	6.12		Euphorbiaceae		n.d., FDR 103
			T		622		<i>Euphorbia pulcherrima</i> Willd. Ex Klotzch, Flor de pas	13.30		Euphorbiaceae		FPR.103,II.393
			AT		429	623	<i>Euphorbia serpen</i> Kunths, Sanguinaria, Y.lechera	12.30		Euphorbiaceae		n.d., FDR 103
261	Succu	VMT	GT		430	624	261 <i>Euphorbia tirucalli</i> L., Indiantree spurge - fideo verde	12.30	F	Euphorbiaceae		FPR.103,II.395
			GVT		625		<i>Euphorbia tithymaloides</i> L., ssp. padifolia (L.) V.W.Ste	14.33		Euphorbiaceae		n.d., FDR 103
			G		431	626	<i>Euphorbia tithymaloides</i> L., ssp. Tithymaloides, nd	12.30	F	Euphorbiaceae		n.d., FDR 103
				A	627		<i>Euphorbia torrabasil</i> Urb.,	5.10		Euphorbiaceae		n.d.,FPR 103
				A	628		<i>Euphorbia turpinii</i> Boiss.,	5.10		Euphorbiaceae		n.d.,FPR 103
262	ArbEx	VMT			432	629	262 Exo <i>Euphorbia x lomi</i> L., Corona de Cristo {gr.} - Crown of Thorns [var			Euphorbiaceae		FPR.103, nd.
			GVT		433	630	59 <i>Gymnanthes lucida</i> Sw., Ramon, p. de/Tabacco - Cra	6.12	F	Euphorbiaceae		FPR.103,II.396
263	AMP	VMT	GA\T		434	631	263 <i>Hippomane mancinella</i> L., Manzanillo - Machineel [Ti	12.30	F	Euphorbiaceae		FPR.103,II.398
				T	435	632	<i>Hura crepitans</i> L., Havilla, Javilla, Molinillo - Monkey	12.30	F	Euphorbiaceae		FPR.104,II.400
264	AMM	CulrP	MaEIVT		436	633	264 <i>Jatropha curcas</i> L., Piñon, Tartago -Physic nut	12.30		Euphorbiaceae		FPR.104,II.403
265	ArbM	VMT	AV		437	634	265 <i>Jatropha gossypifolia</i> L. var. <i>gossypifolia</i> L., Tuatua	13.30	F	Euphorbiaceae	Poinsettia 200FPR.96	FPR.104,II.403
266	ArbEx	VMT		T	438	635	266 <i>Jatropha integerrima</i> Jacq., Peregrina - Spicy Jatrop	13.30		Euphorbiaceae	FdPR.65	FPR.104,II.405
267	ArbEx	VMT	GT		439	636	267 <i>Jatropha multifida</i> L., Don Toas, Tartago hemetico - i	13.30	F	Euphorbiaceae	TFP.193	FPR.104,II.403
				T	440	637	<i>Manihot esculenta</i> , Yuca,Casave	13.30		Euphorbiaceae		FPR.104,II.407
268	Succu	VMT			441	638	268 <i>Pedilanthus tithymaloides</i> ssp. <i>agustifolius</i> , Bejuco de estrella - §			Euphorbiaceae	GPoW.415	FPR.105,II.411
269	Succu	CulEd			442	639	269 <i>Pedilanthus tithymaloides</i> ssp <i>smallii</i> cv. <i>variegated</i> , Ipecacuana			Euphorbiaceae	WPoB.114	FPR.105,II.411
270	Succu	VMT			443	640	270 <i>Pedilanthus tithymaloides</i> ssp <i>tithylanthus</i> , (dwarf form) [NknF]			Euphorbiaceae	GinT.81	FPR.105,II.411
			GVT		444	641	<i>Ricinus communis</i> L., Higuereeta,Ricino - Castor bear	13.30	F	Euphorbiaceae	200FPR.97	FPR.106,II.423
				T	642		<i>Sapium glandulosum</i> (L.) Morong.,	13.30		Euphorbiaceae		FPR.106,II
271	BM	VMT	GVT		445	643	271 <i>Tragia volubilis</i> L., Pringamosa, Pica-Pica - Stinging	14.33		Euphorbiaceae		FPR.106,II.423
272	BM	VMT	GA\T		446	644	272 <i>Abrus precatorius</i> L., Ojo Cangrejo - Crab Eye [Wht-	13.30	F	Fabaceae	Legum. P: Fabaceae	FPR.76,II.106
				A	645		<i>Acacia anegadensis</i> (Britton) Seigler&Ebinger, - Pok	4.10	F	Fabaceae	Legum. Mimoidp.	n.d.,FPR 68
					646		<i>Acacia macracantha</i> Honbt.& Bonpld., Tamarindo sil	15.33	F	Fabaceae	Legum. Mimoidp.	FPR.68,II.16
273	AGM	VMT			447	647	273 <i>Acacia polyacantha</i> Willd. ex L., Catechu tree - [Wht]			Fabaceae	Legu.Mimosoideae	FPR.68,II.18
274	ArbM	VMT			448	648	274 <i>Acacia retusa</i> [westiana] (Jacq.) Howrd., Zarza brava - Catch & Ke			Fabaceae	Legum. Mimoidp.	FPR.68,II.19,V398
			VT		649		<i>Adenantha pavonina</i> L., Coralitos,Peronias chatas	15.33	F	Fabaceae	Legum. Mimoidp.	FPR.68,II.20
	aamVG	T			449	650	60 <i>Aeschynomene americana</i> L., Y. Rosario	13.30	F Nc	Fabaceae	Legu. Cae 83WPoB	FPR.76,II.109

275	YebM	VMT			450	651	275	<i>Aeschynomene sensitiva</i> Sw.. var. <i>sensitiva</i> , Morivivi	15.33	Fabaceae	Legu. Cae	83WPoB	FPR.76,II.110
276	AGM	CUL	VT		451	652	276	<i>Albizia lebeck</i> (L.) Benth., <i>Acacia amarilla</i> Aroma, A	6.12	Fabaceae	Legum. Mimoidp.		FPR.68,II.22
277	YebM	VMT			452	653	277	<i>Alysicarpus glumaceus</i> (Vahl.) D.C., Y. de contrabando, False moi		Fabaceae	Legum. P:	WPoB84	n.d.,FPR.77,
278	YebM	VMT	GV		453	654	278	<i>Alysicarpus vaginalis</i> (L.) DC., Y. de contrabando, Fa	13.30	Fabaceae	L. P.,200F	WPoB84	FPR.77,II.112
				T	454	655		<i>Andira inermis</i> (W. Wright) DC., <i>Moca -Angelin tree</i> , I	13.30	Fabaceae	Legum. Papilion.		FPR.77,II.112
					656			<i>Arachis hypogaeae</i> L., <i>Cacahuete</i> , <i>Mani -Peanuts</i>	13.30	Fabaceae	Legum. Papilion.		FDR.77, II.115
279	GCM	VMT			455	657	279	<i>Arachis pintoi</i> Krapov. & W.C. Gregory, <i>Mani foragero/perenne</i> - P		Fabaceae	Legum. Papilion.		n.d., FDR.77
280	AMM	CUL		G	456	658	280	<i>Bauhinia monandra</i> Kurz., <i>Alas de Angel</i> , <i>Flamboyan</i>	13.30	Fabaceae	Legu. Cae	TFP.198	FPR.71,II.55
281	AMM	CUL			457	659	281	<i>Bauhinia purpurea</i> L., <i>Palo de orquidias</i> - <i>Orchid Tree</i> [Vio]		Fabaceae	Legu. Caesalpinioidea		FPR.72,II.55
					660			<i>Bauhinia tomentosa</i> L., <i>Mariposa</i> , <i>Petan --</i>	15.33	Fabaceae	Legu. Caesalpinioidea		FPR.72,II.58
282	ArbP	VMT			458	661	282	<i>Caesalpinia bonduc</i> (L.) Roxb., <i>Mato de playa</i> - <i>Horse Eye</i>		Fabaceae	Legu. Cae	Seeds pois.	FPR.72,II.59
				V	662			<i>Caesalpinia ciliata</i> (Bergius ex Wikstr.) Urb., <i>Mato de playa</i> - <i>Hors</i>		Fabaceae	Legu. Cae	Seeds pois.	FPR.72,
283	AGM	CulC.Bon			459	663	283	Int <i>Caesalpinia ferrea</i> Mart. ex Tul., <i>Palo de hierro</i> - <i>Brazil ironwood</i> , I		Fabaceae	Legu. Caesalpinioidea		FPR.nd
284	ArbEx	CUL		GV	460	664	284	<i>Caesalpinia pulcherrima</i> (L.) Sw., <i>Clavelina</i> - <i>Barbadi</i>	15.33	Fabaceae	Legu. Cae	Joe APR,67	FPR.73,II.64
285	ArbV	VMT			461	665	285	<i>Cajanus cajan</i> L. Millsp., <i>Gandul</i> - <i>Pidgeon Pea</i>	15.33	Fabaceae	Legum. Papilion.		FPR.77,II 119
					666			<i>Calliandra haematomma</i> (Bert.exDC.) Benth. <i>Var hae</i>	15.33	Fabaceae	Legum. Mimoidp.		FPR.69,II.25
	BM			V	667			<i>Calopogodium caeruleum</i> (Benth.) Sauv., <i>Jicama</i> - [Vio]		Fabaceae	TRPR,USI	200FPR.99	FPR.77,II 121
	BM			V	668			<i>Calopogodium muconoides</i> Desv., <i>Calopo</i> [Vio]		Fabaceae	BPTRPR	USDA	FPR.77,II 121
					669			<i>Canavalia nitida</i> (Cav.) Piper, <i>Haba de burro</i> , <i>Mato cc</i>	15.33	Fabaceae	Legum. Papilion.		FPR.77,II.123
286	BP	VMT		GV	462	670	286	<i>Canavalia rosea</i> (Sw.) DC.{maritima}, <i>Haba de Playa</i>	3.2	Fabaceae	Legum. P:	200FPR.100	FPR.78,II.124
287	AMM	Cul253EnS			463	671	287	<i>Cassia fistula</i> L., <i>Cañafistula</i> - <i>Golden shower</i> , <i>Pudd</i>	13.30	Fabaceae	Legu. Caesalpinioidea		FPR.73,I.65
					672			<i>Cassia grandis</i> L. f., <i>Cañafistula cimarrona</i> - <i>Pink sh</i>	15.33	Fabaceae	Legu. Caesalpinioidea		FPR.73,I.67
					464	673		<i>Cassia javanica</i> L., <i>Acasia rosada</i> - <i>Pink Acasia</i>	13.30	Fabaceae	Legu. Caesalpinioidea		FPR.73,I.67
					674			<i>Centrosema plumieri</i> (Turp.&Pers.) Benth, <i>Flor de cc</i>	15.33	Fabaceae	Legum. Papilion.		FPR.78,II.126
288	BM	Culbr			465	675	288	<i>Centrosema pubescen</i> , <i>Flor de conchita/de pito/blar</i>	13.30	Fabaceae	L.P., 200F	BPPR.225	FPR.78,II.127
289	BM	VMT		GAV	466	676	289	<i>Centrosema virginianum</i> (L.) Benth., - <i>Conchita de Virginia</i> - <i>Spuri</i>		Fabaceae	Legum. P:	200FPR.102	FPR.78,II.127
					677			<i>Chaetocalyx scadens</i> (L.) Urb. var. <i>scadens</i> ,	13.30	Fabaceae	Legum. Papilion.		nd. FDR.77,
				T	467	678		<i>Chamaecrista diphylla</i> (L.) Greene, <i>Hediondilla</i> - <i>Wil</i>	13.30	Fabaceae	Legu. Cae	200FPR.103	FPR.73, II 68
					468	679	61	<i>Chamaecrista fasciculata</i> var. <i>fasciculata</i> (Mitch.) Greene, - <i>Patric</i>		Fabaceae	Legu. Cae	I.402, CSIP	n.d.,FPR 73
				GAVT	469	680	62	<i>Chamaecrista glandulosa</i> (L.) Greene v. <i>glandulosa</i> , <i>Hedionda Nc</i>		Fabaceae	Legu. Caesalpinioidea		n.d.,FPR 73
					470	681	63	<i>Chamaecrista glandulosa</i> L.Greenes var <i>mirabilis</i> (Po	6.12	Fabaceae	Legu. Caesalpinioidea		FPR.73, II 69
	YebP	aamVG			471	682	64	<i>Chamaecrista glandulosa</i> (L.) Greene v. <i>swartzii</i> (Wil	6.12	Fabaceae	Legu. Cae	FoLA.I.402, WPB.72,	FPR.73,II.70
					472	683		<i>Chamaecrista lineata</i> (Sw.) Greenevar. <i>Brachyloba</i>	13.30	Fabaceae	Legu. Caesalpinioidea		FPR.73, II 70
290	YebM	VMT			473	684	290	<i>Chamaecrista nictitans</i> (L.) Moench ssp. <i>nictitans</i> var. <i>diffusa</i> (D'		Fabaceae	Legu. Cae	FoLA.I.403, WPB.72,	FPR.73,II.71

				474	685		<i>Chamaecrista nictitans</i> (L.) Moench ssp. <i>pettalaria</i> ( 13.30	Fabaceae	Legum. P:200FPR.104 FPR.73, II 71
291	YebP	VMT		475	686	291	<i>Chamaecrista portorricensis</i> (Urb.) Cook&Collins, ( 13.30	Fabaceae	Legu. Cae200FPR.105 FPR.74,II.72
292	AGM	CulC.Bon		476	687	292	<i>Clitoria fairchildiana</i> Howard, Cltoria - Phillipine pigeonwings [Pnl	Fabaceae	Lagum. P: AMeF.49 FPR.78, n.r.
293	BM	VMT	VT	477	688	293	<i>Clitoria ternatea</i> L. var <i>ternatea</i> , Conchita - Blue-Fifi 13.30 F	Fabaceae	Legum. P:200FPR.106 FPR.78,II.131
294	YerM.	VMT	VT	478	689	294	<i>Coursetia</i> (Cracca) <i>caribaea</i> (Jacq.) Lavin var. <i>caribae</i> 6.12	Fabaceae	Legum. P: FoLA.466, F FPR.78,II.174,V.402
295	YebM	VMT	GVT	479	690	295	<i>Crotalaria incana</i> L, Cascabelillo - Rattle bush 14.30	Fabaceae	Legum. Papilion. FPR.79,II.138
			GAV	480	691		<i>Crotalaria lotifolia</i> L. var. <i>latifolia</i> , Cascabelillo <i>axilar</i> 14.30	Fabaceae	Legum. Papilion. FPR.79,II.138
				692			<i>Crotalaria pallida</i> Aiton var <i>obovata</i> (G.Don) Polh., 14.30	Fabaceae	Legum. P:200FPR.107 FPR.79,II.138
296	YebM	VMT		481	693	296	<i>Crotalaria retusa</i> L., Cascabelillo, Matraca, Sonajuel: 14.30 F	Fabaceae	Legum. P:200FPR.108 FPR.79,II.140
			VT	694			<i>Crotalaria verrucosa</i> L., C. lengua de vaca - Blue ratt 15.33 F	Fabaceae	Legum. Papilion. FPR.79,II.140
297	ArbP	VMT	VT	482	695	297	<i>Dalbergia ecastaphyllum</i> (L.) Taub., Palo de Pollo, Mi: 14.30 F	Fabaceae	Legum. P: FW.241,FoL FPR.79,II.146,V.402
				483	696	65	<i>Dalbergia monetaria</i> , Membirillo,Palo de brasileto - Money bush [C	Fabaceae	Legum. Papilion. FPR.80,II.144
				697			<i>Dalea cathagenesis</i> (Jacq.) J.F.Mcchr. Var <i>carthager</i> 14.30	Fabaceae	Legum. Papilion. FPR.80,II.145
298	AGM	VMT	VT	484	698	298	<i>Delonix regia</i> (Bojer ex Hook.) Raf., Flamboyan - Red Flame Tree	Fabaceae	Legu. Caesalpinioidea FPR.74,II.75
299	YerM.	VMT		485	699	299	<i>Desmanthus leptophyllus</i> HBK., Desmanto - Langale 15.33	Fabaceae	Legum. M 200FPR.109 FPR.69,V.399
300	YebM.	VMT	A	486	700	300	<i>Desmanthus pernambucanus</i> L. Thell., Desmanto - F 6.12	Fabaceae	Legum. Mimoidp. FPR.69,V.399
301	YerM.	VMT	GAVT	487	701	301	<i>Desmanthus virgatus</i> (L.) Willd., Desmanto - Acacia : 14.30	Fabaceae	Legum. Mimoidp. FPR.69,II27,V.399
			T	488	702		<i>Desmodium axilliare</i> (Sw.)DC. var, <i>axilliare</i> , Zarzaba 14.30	Fabaceae	Legum. Papilion. FPR.80,II.150
				703			<i>Desmodium barbatum</i> (L.) Benth., Zarzabacoa pelud 14.3	Fabaceae	Legum. Papilion. FPR.80,II.151
			GVT	489	704	66	<i>Desmodium glabrum</i> (Mill.) DC., Zarzabacoa dulce - 6.12	Fabaceae	Legum. Papilion. FPR.80,II.152
302	YerM.	VMT	GVT	490	705	302	67 <i>Desmodium leptophyllus</i> , Desmanto [Wht] 14.30	Fabaceae	Legum. Papilion. FPR.80,II.154
				491	706		<i>Desmodium incanum</i> DC., Zarzabacoa comun - Cree 6.12	Fabaceae	Legum. Papilion. nd.,FPR.81,
303	YerM.	VMT	GT	492	707	303	<i>Desmodium procubens</i> (P.Mill) A.S. Hitch, Zarzabacc 14.30 F	Fabaceae	Legum. Papilion. FPR.80,II.154
			T	493	708		<i>Desmodium scorpiurus</i> (Sw.) Desv., Zarzabacoa col: 14.30	Fabaceae	Legum. Papilion. FPR.81,II.155
			T	494	709	304	68 <i>Desmodium tortuosun</i> (Sm.) DC., Cadillo, Cadillo pe: 6.12	Fabaceae	Legum. P:200FPR.110 FPR.81,II.155
			GVT	495	710		<i>Desmodium triflorum</i> (L.) DC., - Threelfwr. Ticktrefoil 14.30	Fabaceae	Legum. P:200FPR.111 FPR.80,II.156
304	YerM.	VMT		496	711	304	<i>Desmodium viridiflorum</i> (L.) DC., - Beggarweed, Velvet Lf Tick-tre	Fabaceae	Legum. P: FW.249 nd., FPR.81
				497	712		<i>Desmodium wydlarianum</i> Urb., - Widier's Ticktrefoil   14.30	Fabaceae	Legum. Papilion. FPR.80,II.156
				713			<i>Enterolobium cyclocarpum</i> (Jacq) Griseb., 14.30	Fabaceae	Legum. Papilion. nd., FPR.81
				498	714		<i>Erythrina berteroa</i> Urb., Bucayo enano/sin espina: 14.30	Fabaceae	Legum. Papilion. FPR.81,II.160
				715			<i>Erythrina collodendron</i> (L.) var. <i>connata</i> Krukoff, Am 16.33	Fabaceae	Legum. Papilion. FPR.81,II.160
			T	716			<i>Erythrina collodendron</i> L. var. <i>collodendron</i> , Amapol 16.33	Fabaceae	Legum. Papilion. FPR.81,II.160
				499	717		<i>Erythrina eggersii</i> Kruk.&Mold., Bucayo,Coral, Espue 14.30	Fabaceae	Legum. Papilion. FPR.82,II 161
				718			<i>Erythrina fusca</i> Lour., Brucayo, Bucare, Palo de boy: 16.33	Fabaceae	Legum. Papilion. FPR.82,II 161

305	AMM	CulFrAero	GVT	500	719	305	<i>Erythrina variegata</i> L. var <i>orientalis</i> (L.) Merr., Bucay	14.30	Fabaceae	Legum. Papilion.	FPR.80,II.151
			GAT	501	720	69	<i>Galactia dubia</i> DC., West Indian pea [Vio-Pnk]	6.12	Fabaceae	Legum. Papilion.	FPR.82,II 163
			GT	502	721		<i>Galactia eggersii</i> Urb., - Eggers milkpea [Red]	16.33	Fabaceae	Legum. Papilion.	nd., FPR.82
306	BM	VMT	GVT	502	722	306	<i>Galactia striata</i> (Jacq.) Urb., Guatabajito - Florida ha	6.12	Fabaceae	Legum. Papilion.	FPR.82,II 166
307	AMM	VMT	GVT	503	723	307	<i>Gliridicia sepium</i> , Mata raton - mother of cocoa	15.30	Fabaceae	Legum. Papilion.	FPR.82,II 168
			GT	504	724		<i>Haematoxylum campechianum</i> L., Campeche, P. de	16.33	Fabaceae	Legu. Cae DR Tree S	FPR.74,II.77
308	AGM	VMT	GVT	504	725	308	<i>Hymenaea courbaril</i> L., Algarroba Campeche, Logwo	13.30	Fabaceae	Legu. Cae ACdPR.195	FPR.74,II.77
				505	726		<i>Indigofera spicata</i> Forssk., nd.	16.33	Fabaceae	Legum. P:200FPR.113	FPR.82,II 172
		aamV	GVT	505	727	70	<i>Indigofera suffruticosa</i> Mill., Añil/de pasto - Indigo	14.30	Fabaceae	Legum. Papilion.	FPR.83,II 173
			V	506	728		<i>Indigofera tinctoris</i> L., Añil verdadero - Indigo	14.30	Fabaceae	Legum. Papilion.	FPR.83,II 173
				507	729		<i>Inga laurina</i> (Sw.) Willd., Guana, - Pomshock,Sweet	14.30	Fabaceae	Legum. Mimoidp.	FPR.70,II.33
			T	508	730		<i>Lablat purpurea</i> (L.) Sweet, Chicharos/Guisantes de	14.30	Fabaceae	Legum. P:200FPR.114	FPR.83,II 175
309	AMM	CUL	GAT	509	731	309	<i>Leucaena leucocephala</i> (Lam.) De Witt., Zarcilla, Aca	14.30	Fabaceae	Legum. Mimoidp.	FPR.70,II.35
310	AMM	VMT		510	732	310	<i>Lonchocarpus domingensis</i> (Turp. Ex Pers.) DC., Genogeno - Lan		Fabaceae	Lagum. Papilion.	FPR.83,II 177
				511	733		<i>Lonchocarpus heptaphyllus</i> (Poir.) DC.,	14.30	Fabaceae	Lagum. Papilion.	FPR.83,II 173
				512	734		<i>Machaerium lunatum</i> (L.f.) Ducke, Escabron, Palo de	14.30	Fabaceae	Lagum. Papilion.	FPR.83,II 179
				513	735		<i>Macroptilium atropurpureum</i> (DC.) Urb., Kruza, Sirat	16.33	Fabaceae	Lagum. P:200FPR.115	FPR.83,II.181
311	YebM	VMT	T	513	736	311	<i>Macroptilium lathyroide</i> (L.) Urb., Lirio de pasto - Wil	7.12	Fabaceae	Lagum. P:200FPR.116	FPR.83,II.181
			VT	514	737		<i>Mimosa ceretonia</i> L. var. <i>ceretonia</i> , Zarza - Black an	14.30	Fabaceae	Legum. Mimoidp.	FPR.70,II.37
				515	738		<i>Mimosa diplotricha</i> C. Wr. In Sanv.var. <i>diplotricha</i> , r	14.30	Fabaceae	Legum. Mimoidp.	FPR.70,II.39
312	YebM	VMT		516	739	312	<i>Mimosa diproticha</i> C. Wr. In Sanv., Morivivi sensitivo - Sensit		Fabaceae	Legum. Mimoidp.	FPR.70,II.37
313	YebM	VMT	VT	517	740	313	<i>Mimosa pudica</i> L., Mimosa, Morivivi, Sensitiva - Sens	14.30	Fabaceae	Legum. M 200FPR.117	FPR.70,II.40
				518	741		<i>Mucuna pruriens</i> (L.) DC. var <i>pruriens</i>	14.30	Fabaceae	Legum. M 200FPR.119	n.d.
				742			<i>Mucuna urens</i> (L.) Medik., nd.	16.33	Fabaceae	Lagum. Papilion.	FPR.84,II.186
				743			<i>Myrospermum frutescens</i> Jacq., nd.	16.33	Fabaceae	Lagum. Papilion.	FPR.84,II.186
314	YebM	VMT		519	744	314	<i>Neptunia plena</i> (L.) Benth., Desmanto amarillo - Water dead and a		Fabaceae	Legum. M 200FPR.121	FPR.71,II.41
				745			<i>Pachyrhizus erosus</i> (L.) Urb., Habilla - Wild jam bean	16.33	Fabaceae	Lagum. Papilion.	FPR.84,II.189
315	AMM	CUL	GVT	520	746	315	<i>Parkinsonia aculeata</i> L., Palo de Rayo - Jerusalem TI	14.30	Fabaceae	Legu. Caesalpinioidea	FPR.74,II.80
316	AGM	Cul.Fu	VT	521	747	316	<i>Peltophorum pterocarpum</i> (DC.) Black&Heyne, Flam	14.30	Fabaceae	Legu. Caesalpinioidea	FPR.74,II.83
317	BM	VMT	T	522	748	317	<i>Phaseolus lunatus</i> L., Habichuela, Frijolillo [Pur-pnk]		Fabaceae	Lagum. P: BPTdPR.28	FPR.84,II.192
318	BM	VMT		523	749	318	<i>Phaseolus polystachyus</i> , Habichuela - Wild bean [Pur-pnk]		Fabaceae	Lagum. Papilion.	FPR.84,II.192
319				524	750	319	<i>Phaseolus vulgaris</i> , L. var <i>humilis</i> Alef. Habichela - Kidney bean [l		Fabaceae	Lagum. Papilion.	FPR.84,II.194
320	AGM	VMT	GAT	524	751	320	<i>Pictetia aculeata</i> (Vahl.) Urb., Tachuelo - Fustic	7.12	Fabaceae	Lagum. Papilion.	FPR.77,II 195
321	AMM	VMT	G	525	752	321	<i>Piscidia carthagenensis</i> Jacq., Palo de violeta - Fish	7.12	Fabaceae	Lagum. Papilion.	FPR.85,II.195

322	AMM	VMT	GAT	526	753	322	Pithecelobium unguis -cati (L.) Mart., Uña de Gato, E	7.12	F	Fabaceae	Legum. Mimoidp.	FPR.71,II.47
323	AMM	VMT	GVT	527	754	323	Poitea {Sabinea} florida (Vahl.) Lavin, Retana - Watta	15.30	F	Fabaceae	Lagum. Papilion.	FPR.85,II.205,V402
				528	755	71	Poitea punicea (Urb.) Lavin, Caracolillo	6.12	F	Fabaceae	Lagum. P:200FPR.122	FPR.85,II.207,V402
				529	756		Prosopis glandulosa Torr. Var glandulosa, nd	14.30		Fabaceae	Legum. Mimoidp.	n.d.
324	AMM	VMT	TB	530	757	324	Prosopis juliflora (pallida) (Sw.) DC., Bayahonda - Mesquite			Fabaceae	Legum. Mimoidp.	FPR.71,II.47
				531	758	72	Prosopis pallida (Humb.& Bonpl. Ex Willd.) Kunth,nd	7.12		Fabaceae	Legum. Mimoidp.	nd.,FPR.71,
325	AGM	VMT		532	759	325	Pterocarpus indicus Willd., Pterocarpus - Indian pac	15.30		Fabaceae	Lagum. Papilion.	FPR.85,II.198
				533	760		Pueraria phaseoloides, Yerba kudzo - Tropical Kudzu	15.30		Fabaceae	Lagum. P:200FPR.123	FPR.85,II.200
326	BM	VMT	GVT	534	761	326	Rhychosia minima (L.) DC.. Frijolillo - Burn-Tongue - Mouth [Ylw]			Fabaceae	Lagum. P: WPOB .93	FPR.86,II.203
				762			Rhychosia phaseoloides (Sw.) DC., Bejuco de palom	17.33		Fabaceae	Lagum. Papilion.	FPR.86,II.203
327	BM	CUL	GVT	535	763	327	Rhynchosia reticulata (Sw.) DC. var. reticulata, Frijo	7.12	F	Fabaceae	Lagum. P: FoB.p.93	FPR.86,II.204
				764			Senegalia muricata (L.) Britton&Rose, nd.	17.33		Fabaceae	Lagum. Papilion.	n.d.
328	ArbM	CUL	T	536	765	328	Senna alata (L.) Roxb., Talantala , Talantro - Carion's	15.30	F	Fabaceae	;,200FPR. WPOB.73	FPR.74,II.86
				537	766		Senna atomaria (L.) Irwin.&Barn., Flor de San Jose, )	15.30		Fabaceae	Legu. Caesalpinioidea	FPR.74,II.87
				767			Senna bacillaris (L.f.) Irw.&Barney var. bacillaris,	15.30	F	Fabaceae	Legu. Caesalpinioidea	FPR.75,II.87
				538	768	73	Senna bicapsularis (L.) Irwin.&Barn.var. bicapsulari	7.12	F	Fabaceae	Legu. Caesalpinioidea	FPR.75,II.88
				769			Senna hirsuta (L.) Irwin.&Barn., Hedionda cimarrona	17.33		Fabaceae	Legu. Caesalpinioidea	FPR.75,II.88
				770			Senna nitida(L.Rich.) Irwin.&Barn., Hedondilla -	17.33	F	Fabaceae	Legu. Cae200FPR.125	FPR.75,II.89
329	YebM	VMT	T	539	771	329	Senna obtusifolia (L.) Irwin.&Barn., Dormilona - sickelpod			Fabaceae	Legu. Caesalpinioidea	FPR.75,II.90
330	YebM	VMT	GAT	540	772	330	Senna occidentalis (L.) Link., Casia,Hedionda, - Coff	15.30		Fabaceae	Legu. CaeiP.260,FW.1	FPR.74,II.90
				773			Senna polyphylla (Jacq.) Irwin.&Barn. Var. neglecta l	5.10		Fabaceae	Legu. Caesalpinioidea	nd.FPR.75
				774			Senna polyphylla (Jacq.) Irwin.&Barn. var. polyphylla	5.10		Fabaceae	Legu. Caesalpinioidea	nd.FPR.75
				541	775		Senna siamen (Lam.) Irw. & Barney, Casia amarill/sia	15.30		Fabaceae	Legu. Caesalpinioidea	FPR.74,II.93
				776			Senna sophera (L.) Roxb.	5.10		Fabaceae	Legu. Caesalpinioidea	nd.FPR.75
331	AGM	CUL	T	542	777	331	Sesbania grandiflora (L.) Pers., Cresta de Gallito - Ve	15.30		Fabaceae	Lagum. Papilion.	FPR.86,II.209
332	YebP	VMT		543	778	332	Sesbania sericea (Willd.)Link, Papagayo - Egyptian ri	15.30		Fabaceae	Lagum. P:200FPR.126	FPR.86,II.209
	ArbP	Vieq		544	779		Sophora tomentosa (L.) var Ittholaris (Schrad,) Bentl	15.30	MHD	Fabaceae	Lagum. P: FW.wkt.242	FPR.86,II.212
333	AMM	CuFI	AME	545	780	333	Stahlia menosperma (Tul.) Urban, Cobana, Cob. neg	15.30	F	Fabaceae	Legu. Caesalpinioidea	FPR.74,II.96
334	GCM	CuGrAero		546	781	334	Stylosanthes biflora (L.) Britton, Sterns & Boggenb., - Pencil flowe			Fabaceae	Lagum. Papilion.	FPR.86,nd.
				547	782		Stylosanthes hamata (L.) Taub., Zarzabacoa enana -	15.30	F	Fabaceae	Lagum. P:200FPR.127	FPR.86,II.215
335	AGF	VMT	GVT	548	783	335	Tamarindus indica L., Tamarindo - Tamarind Tree	15.30	F	Fabaceae	Legu. Caesalpinioidea	FPR.76,II 97
336	YebP	CUL		549	784	336	Tephrosia angustissima Shuttlw. Ex Chapm., Añil cenizo -Narrowl			Fabaceae	Lagum. P:NKT.FIW.22;	n.d. FPR.86
337	YebM	CUL	GVT	550	785	337	Tephrosia cinerea (L.) Pers., Añil ceniza - Ash colore	15.30		Fabaceae	Lagum. Papilion.	FPR.86,II.218
				786			Tephros senna Kunth, anil racemillo	14.30		Fabaceae	Lagum. P:200FPR.128	FPR.87,II.219







350	ArbExCulEd		571	815	350	Exo	Heliconia psittacorum L. f. x H. spathocircinata, Plat:	16.30	F	Heliconiaceae	Musaceae TPfHG.153 nd., FPR.260,
			572	816			Hippocratea volubilis, Bejuco prieto -	8.30	F	Hippocrateaceae	FPR.110,III.35
				817			Halophila baillonis Asch.& ex Dickie, nd.	17.33		Hydrocharitaceae	FPR.218.nd.
				818			Halophila decipiens Ostenf., nd.	17.33		Hydrocharitaceae	FPR.218.nd.
		GV		819			Thalassia testudinum P. J. Koenig, Palma del mar, Y	17.33		Hydrocharitaceae	FPR.218.nd.
		VT		820			Hypoxis decumbens L., Coqui	14.30		Hypoxidaceae	FPR.257.nd.
				821			Eleutherine bulbosa (Mill.) Urb., Lagrimas de Virgen,	17.33		Iridaceae	FPR., nd,
				822			Krameria ixine L.,	18.33		Kramariaceae	200FPR.135 FPR., 97,
		AVT		823			Aegiphila martinicensis Jacq. var.martinicensis var,	18.33		Lamiaceae	FPR.176,IV.395
				824			Hyptis capitana Jacq., Botoncillo negro, Mauribio bo	18.33		Lamiaceae	FPR.176,IV.395
	aamVG	V		825	76		Hyptis pectinata (L.) Poit., Marubio falso,	18.33		Lamiaceae	FPR.176,IV.397
		V		826			Hyptis saveolens (L.) Poit., Marubio, Moña de hegra	18.33		Lamiaceae	FPR.176,IV.398
		GV		827			Hyptis verticillata Jacq., Coge finca/mundom - Wild t	18.33		Lamiaceae	FPR.176,IV.399
				828			Leonotis nepetifolia (L.) R. Br., Botom n de cadena, -	18.33	F	Lamiaceae	200FPR.136 FPR.176,IV.400
				829			Leucas martinicensis (Jacq.) R.Br., nd.	16.30		Lamiaceae	nd. FPR.
				830			Ocimum basilicum L., Albahaca/blanca, Oregano fal:	16.30		Lamiaceae	FPR.176.nd.
		V		831	77		Ocimum campechianum Mill., Albahaca cimarrona/p	7.12	F	Lamiaceae	FPR.176.nd.
351	V&ES VMT	GV	573	831	351		Plectranthus ambionicus (lour.) Spreng., Oregano br	18.33	F	Lamiaceae	Nepetoideae FPR.177.IV.410
		T		832			Plectranthus scutellarioides (L.) R. Br., Coleo, Nazar	18.33		Lamiaceae	FPR.177.IV.410
				833			Salvia coccineae Bac'hoz ex Etl., Moradilla Colorada	18.33		Lamiaceae	FPR.177.IV.414
				834			Salvia micrantha Vahl., Banderilla azul, Cizaña	18.33		Lamiaceae	FPR.177.IV.415
		T		835			Salvia micrantha Vahl., Banderilla azul, Cizaña	18.33		Lamiaceae	FPR.177.IV.415
				836			Salvia occidentalis Sw., Yerba Luisa, Moradilla - Wes	18.33		Lamiaceae	FPR.177.IV.416
				837			Salvia thomasiana Urb., nd.	18.33		Lamiaceae	FPR.178, nd.
		GAT		838			Salvia serotina L., nd.	18.33	F	Lamiaceae	FPR.177.IV.416
352	ArbEx VMT Exo		575	839	352		Scutellaria indica , - [Wht-Vio-Blu]			Lamiaceae	nd.FPR.
		T		840			Tectona grandis L.f., Teca, Arbol de marfil	18.33		Lamiaceae	FPR.178, nd.
353	AMP Cul	T	576	841	353		Vitex agnus-cactus L., Palo santo, sauce gatillo, Viti	18.33		Lamiaceae	FPR.175, IV 388
		T		842			Vitex divaricata Sw., Higuieriklo, Pendula blanca, Ro	18.33		Lamiaceae	FPR.175, IV 388

354	BM	VMT		577	843	354	<i>Gelsemium sempervirens</i> (L.) W. T. Aiton, Yellow Jasmin, Evening	Langaniaceae	n.d.	
					844		<i>Beilschmiedia pendula</i> (Sw.) Hemcl., Guajon, Palo co	18.33	Lauraceae	
355	BM	VMT	VT	578	845	355	<i>Cassytha filiformis</i> L., Bejuco dotado, Fideillo, - Lov	7.12 F	Lauraceae	FPR.60,I.252
				579	846		<i>Cinnamomum elungatus</i> (Nees) Kosterm, Laurel bobo,		Lauraceae	FPR.60,I.255
			T	580	847		<i>Licaria parvifolio</i> (Lam.) Kosterm, Cacaillo, Canela le	15.30 F	Lauraceae	FPR.61,I.257
				581	848		<i>Licaria triantha</i> (Sw.) Kosterm, Lebisa, Palo mantecc	15.30 F	Lauraceae	FPR.61,I.258
			GVT		849		<i>Nectandra coriacea</i> (Sw.) Griseb, Avispillo, Cigua, La	18.33 F	Lauraceae	FPR.61,I.261,V.396
					850		<i>Nectandra hihua</i> (Sw.) Griseb, Aguatatillo,	18.33	Lauraceae	FPR.61,I.263,V.396
					851		<i>Nectandra patens</i> (Sw.) Pattens, Laurel geo Colorad	17.30 F	Lauraceae	FPR.62,I.263,V.396
					852		<i>Nectandra membranaceae</i> (Sw.) Griseb.,	18.33	Lauraceae	FPR.61,I.264,V.396
			T		853		<i>Nectandra turbacencis</i> (Kunth) Nees Laurel amarillo	18.33	Lauraceae	FPR.61,I.266,V.397
			T		854		<i>Ocotea floribunda</i> Sw. Mez., Laurel, L. espada -	17.30	Lauraceae	FPR.61,I.261,V.396
			T		855		<i>Ocotea leucoxylon</i> (Sw.) Laness., Cacaillo, Geo, Agu:	18.33 F	Lauraceae	FPR.61,I.265
356	AGF	VMT	T	582	856	356	<i>Persea americana</i> Mill., Aguacate - Avocado	18.33	Lauraceae	FPR.62,I.267
			V		857		<i>Barringtonia asiatica</i> (L.) Jurez.	17.30 F	Lecythidaceae	FPR.136,III.358
			T		858		<i>Courupita guinesis</i> Aubl.,Aceitillo, Murta, P. de Gong	17.30 F	Lecythidaceae	FPR.137,III.362
					859		<i>Lindernia diffusa</i> (L.) Wettst.,	19.33	Linderniaceae	FPR.184,IV.495
357	YebM.	VMT	GV	583	860	357	<i>Spigelia anthelmia</i> L., Lombricera, Waterweed, Worn	15.30 F	Loganniaceae	WPOB.151 FPR.158,IV.188
				584	861		<i>Dendropemon bicolor</i> , Hicaquillo, Muerdago - Mistle	15.30 F	Loranthaceae	FPR.47,I.99
			AVT		862		<i>Dendropemon caribaeus</i> Krub. & Urb., Capitana, Par	19.33 F	Loranthaceae	FPR.47,I.99
					863		<i>Ammannia coccinea</i> Rottb., - Tooth-cup	19.33 F	Lytharaceae	200FPR.138 FPR.135,III.343
			T		864		<i>Ammannia latifolia</i> L., Y. de cangrejo - Crab weed	17.30 F	Lytharaceae	FPR.135,III.345
358	YebM.	VMT		585	865	358	<i>Cuphea hyssopifolia</i> Kunth., - Mexian-False heather	15.30 F	Lytharaceae	FPR.135,III.348
				586	866		<i>Cuphea stringulosa</i> HBK., nd.	15.30 F	Lytharaceae	FPR.135,III.348
			V		587	867	<i>Ginoria rohrii</i> (Vahl.) Koehne, Cereza, Rosa de ciene	15.30 F	Lytharaceae	FPR.136,III.349
359	ArbEx	VMT		588	868	359	<i>Lagerstroemia indica</i> L., Astromelia, Atromero - Cre	15.30	Lytharaceae	FPR.69 FPR.136,III.349
360	AMM	VMT		589	869	360	<i>Lagerstroemia speciosa</i> , Reina de las Flores - Q. of Flwrs [Pur] C		Lytharaceae	FPR.68 FPR.136,III.351
					870		<i>Lawsonia inermis</i> L., Reseda - Egyptian privet Hennz	19.33	Lytharaceae	FPR.136,III.349

361	AMF	CUL	GT	590	871	361	<i>Punica granatum</i> , Granada/do, Granadero - Pomgrar	15.30	F	Lytharaceae	Punicaceae	FPR.136,III.349
362	ArbEx	VMT		591	872	362	Exo <i>Medinilla scotchii</i> King, <i>Medinilla</i> - Orange <i>Medinilla</i> [Org]			Malastomataceae		nd. FPR
				592	873		<i>Buchosia glandulosa</i> (Cav.) DC., <i>Café forastero</i>	17.30	F	Malpighiaceae		FPR.95,II.315
			AV	593	874		<i>Byrsonima lucida</i> (Mill.) DC., <i>Aceituna</i> , <i>Maricao</i> , <i>Palo</i>	17.30	F	Malpighiaceae		FPR.95,II.316
			T	594	875		<i>Byrsonima spicata</i> (Cav.) DC., <i>Piragua</i> , <i>Toro-tigre</i> - S	19.33	F	Malpighiaceae		FPR.95,II.316
				595	876		<i>Galphimia gracilis</i> Bartl., <i>Consuelita</i> , <i>Lluvia de oro</i> , F	17.30	F	Malpighiaceae		FPR.95,II.318
				596	877		<i>Heteropterys laurifolia</i> (L.) A.Juss., <i>Bejuco de buey</i> , I	17.30	F	Malpighiaceae		FPR.96,II.320
363	BM	VMT	GVT	597	878	363	<i>Heteropterys purpurea</i> (L.) Kunth., <i>Bejuco de Paralej</i>	7.12	F	Malpighiaceae	BTRPR.308	FPR.96,II.320
364	BM	VMT		598	879	364	<i>Heteropterys purpurea</i> (L.) Kunth. var. <i>blanca culpr</i> , <i>Bejuco de pa</i>			Malpighiaceae	BTRPR.308	FPR.96,II.320
					880		<i>Malpighia coccigera</i> L. subsp. <i>cossigera</i> , <i>Arbol dela</i>	17.30	F	Malpighiaceae		FPR.96,II.325
				599	881		<i>Malpighia fucata</i> Ker Gawl., <i>Olaga</i> , <i>Palo bronco</i> -	17.30		Malpighiaceae		FPR.96,II.323
					882		<i>Malpighia grabra</i> L.,	17.30	F	Malpighiaceae		n.d., FDR 96
		aamVG	AV	600	883	78	<i>Malpighia infestissima</i> (A. Juss.) L. Rich. ex Ndz., Pa	7.12		Malpighiaceae		n.d., FDR 96
365	ArbP	Culbr	A	601	884	365	<i>Malpighia lineares</i> Jacq., <i>Stinging bush</i> [Pnk} <i>Culbr</i>	17.30	F	Malpighiaceae		FPR.96,II.325
366	AMF	VMT	G	602	885	366	<i>Malpighia puniceifolia</i> L., <i>Acerola</i> - <i>Barbados Cherry</i> [	17.30	F	Malpighiaceae		FPR.96,II.322
367	ArbM	VMT	GAV	603	886	367	<i>Malpighia woodburyana</i> Vivaldi, <i>Olaga</i> - <i>Cowhedge C</i>	7.12	F	Malpighiaceae		FPR.96,II.326,V404
368	BM	VMT	GAIT	604	887	368	<i>Stigmaphyllo emarginatum</i> (Cav.) A. Juss., B. de Sar	19.33	F	Malpighiaceae	200FPR.140	FPR.96,II.328
			V	605	888		<i>Stigmaphyllo floribundum</i> (DC.) C.E.Anders., B. de tc	19.33	F	Malpighiaceae		FPR.96,II.328
				606	889		<i>Tetrapterys inaequalis</i> Cav., <i>Bejuco de paralejo/ de s</i>	19.33		Malpighiaceae		FPR.96,II.328
					890		<i>Abutilon abutiloides</i> (Jacq.) Garcke ex Hochr., - <i>Shru</i>	19.33		Malvaceae		FPR.116,III.122
			T	607	891		<i>Abutilon hirtum</i> (Lam) Sweet, <i>Buenos dias</i> [Ylw w R	17.30		Malvaceae		FPR.116,III.123
			T		892		<i>Abutilon indicum</i> (L.) Sweet var. <i>indicum</i> , - <i>Monkey b</i>	19.33		Malvaceae		FPR.116,III.123
369	YerM.	VMT		608	893	369	<i>Abutilon permolle</i> (Willd.) Sweet, - <i>Coastal indian mallow</i> [Ylw]			Malvaceae		FPR.116,V.408
		aamVG		609	894	79	<i>Abutilon umbellatum</i> (L.) Sweet, <i>Malvisco cimarron</i> - <i>Coastal india</i>			Malvaceae	New AEA-M	FPR.116,111.125
			T	610	895		<i>Alcea rosea</i> L., <i>Varilla de San Jose</i> - <i>Hollycock</i>	17.30		Malvaceae		FPR.116,III.126
			V		896		<i>Ayenia ardua</i> Cristobal, - <i>Wingstem ayenia</i> [Wht-Pur]	17.30		Malvaceae	Sterculiaceae	nd. FPR.117
			GVT	611	897		<i>Ayenia insulicola</i> Cristobal, - <i>Dwarf ayenia</i> [Crm-Wht	19.33		Malvaceae	Sterculiaceae	nd. FPR.117
			V		898		<i>Bastardia vicosa</i> (L.) Kunth var. <i>viscosa</i> var. <i>sanctae</i>	18.30		Malvaceae		nd., FPR.116
370	YebM		GVT	612	899	370	<i>Bastardia vicosa</i> (L.) Kunth var. <i>viscosa</i> , <i>Escoba bat</i>	17.30		Malvaceae	200FPR.141	FPR.116,III.129
371	AMM	C.Fla.VICGT		613	900	371	<i>Bastardiopsis</i> { <i>Sida</i> } <i>eggersii</i> (Baker f.) Fuer.&Frex.,	7.12	F	Malvaceae		FPR.116,III.159
372	AGM	VMT	V	614	901	372	<i>Ceiba pentandra</i> (L.) Gaertn., <i>Ceiba</i> - <i>Silk Cotton Tr.</i>	17.30	F	Malvaceae	Bombaceae	FPR.122,III.178

				902		<i>Cienfuegos heterophylla</i> (Vent.) Garcke, nd.	20.33	Malvaceae	nd., FPR.119	
				615	903	<i>Fioria vitifolia</i> , - Wild okra	17.30 F	Malvaceae	FPR.117,III.132	
					904	<i>Gossypium arboreum</i> L.,	17.30 F	Malvaceae	nd. FPR.117	
373	ArbM	VMT	VT	616	905	373 <i>Gossypium barbadense</i> L. var. <i>barbadense</i> , Algdn d/	17.30 F	Malvaceae	FPR.117,III.133	
				617	906	<i>Gossypium hirsutum</i> L. var. <i>hirsutum</i> , Algodon silve	17.30 F	Malvaceae	FPR.117,III.133	
					618	907	<i>Guazuma ulmifolia</i> Lam., Guacima, Cedro de Jamaic	20.33 F	Malvaceae	HAL/Sterculiaceae FPR.116,III.190
					619	908	<i>Heleicteres jamaicensis</i> Jacq., Cuernecillo, Huevo de	17.30 F	Malvaceae	HAL/Sterculiaceae FPR.123,III.191
					909	909	<i>Herissantia crispa</i> (L.) Brizicky, Motica -	20.33 F	Malvaceae	FPR.118,III.136
					910	910	<i>Hibiscus brasiliensis</i> , Palo peregrino, Borrachito - Pi	20.33	Malvaceae	nd., FPR.118
374	ArbEx	VMT	G	620	911	374 Exo <i>Hibiscus rosa-sinesis</i> L., Amapola - Hibiscus	20.33 F	Malvaceae	FPR.118,III.142	
					912	912	<i>Hibiscus sabdariffa</i> L., Agrio de guinea, Viña - Jamaic	18.30 F	Malvaceae	FPR.119,III.143
					913	913	<i>Hibiscus schizopetalus</i> (Dyer) Hook f., nd.	18.30 F	Malvaceae	nd., FPR.119
					621	914	<i>Hibiscus vitifolia</i> L., Wild okra	20.33 17.30	Malvaceae	nd., FPR.119
375	ArbM	VMT	T	622	915	375 <i>Malachra alceifolia</i> Jacq., Malva de caballo - Wild Ok	20.33	Malvaceae	Hibiscus f. FPR.119,III.145	
376	YebM	VMT	VT	623	916	376 <i>Malachra capitata</i> (L.) L., Malva, Mulata- Mellow, Gun	20.33 F	Malvaceae	FPR.119,III.145	
				624	917	917	<i>Malachra urens</i> Poit. Ex Ledeb.&Adler., Malvisco	17.30	Malvaceae	FPR.119,III.147
377	YebM	VMT	GVT	625	918	377 <i>Malvastrum americanum</i> (.) Torr., Malva silvestre - Fi	7.12 F	Malvaceae	WPoB.127 FPR.119,III.148	
				626	919	919	<i>Malvastrum corchorifolium</i> (Desr.) Britton ex Small,	17.30	Malvaceae	FPR.119,III.148
378	YebM	VMT	GT	627	920	378 <i>Malvastrum coromandelianum</i> (L.) Garcke, Escoba bl	7.12 F	Malvaceae	200FPR.14 WPoB.127 FPR.119,III.149	
					921	921	<i>Malvaviscus arboreus</i> Cav., Capucha de Monje, Slee	18.30 F	Malvaceae	FPR.119,III.152
				628	922	80 <i>Malvaviscus penduliflorus</i> , DC, Capucha de monje, Mazapan - Slee		Malvaceae	FPR.119,III.152	
379	YerM	CUL	GT	629	923	379 <i>Melochia nodiflora</i> Sw., Bretonica prieta - Red Dialth	7.12 F	Malvaceae	HAL/Sterc3.182,200FP FPR.123,III.195	
380	YebM	VMT	T	630	924	380 <i>Melochia pyramidata</i> L., Bretonica Piramidal - Mauve	7.12 F	Malvaceae	HAL/StercII.283,200FF FPR.123,III.195	
381	ArbM	VMT	GA/T	631	925	381 <i>Melochia tomentosa</i> L., Bretonica afelpada - Broom	7.12 F	Malvaceae	HAL/Sterc200FPR.148 FPR.123,III.195	
382	ArbM	VMT	VT	632	926	382 <i>Pavonia spinifex</i> (L.) Cav., Abutilon/Cadillo espinoso	7.12 F	Malvaceae	200FPR.14 FoSJ.303 FPR.120,III.155	
					927	927	<i>Pentapetes phoenicea</i> L., Flor impia, Cañamo, Cordo	20.33	Malvaceae	HAL/Sterculiaceae FPR.118,III.198
383	YebM	VMT	GVT	633	928	383 <i>Pseudabutilon umbellatum</i> L. Fryxell,, Malvavisco Cir	7.12 F	Malvaceae	nd., FPR.120	
					929	929	<i>Pseudobombax maximum</i> A. Robvns,	20.33	Malvaceae	<a href="http://www.tropicos.org">www.tropicos.org</a> FPR.118,III.198
					930	930	<i>Quararibea turbinata</i> (Sw.) Poir.,	18.30	Malvaceae	nd., FPR.120
384	YebM	VMT	A	634	931	384 <i>Sida abutilifolia</i> Mill., Escoba tendida - Spreading far	18.30	Malvaceae	FPR.120,III.158	
385	YebM	VMT	GVT	635	932	385 <i>Sida acuta</i> Burm.f., Escoba Blanca - Sweet Broom, V	18.30 F	Malvaceae	1.41,WPoB CSIP.104 FPR.120,III.162	
386	YebM	VMT	GA/T	636	933	386 <i>Sida ciliaris</i> L., Escoba peluda/pesta-nosa - Bracted	7.12 F	Malvaceae	200FPR.150 FPR.120,III.158	
387	YebM	VMT	VT	637	934	387 <i>Sida cordata</i> (Bunn f.) Waalkes, - Heartleaf fanpetals	18.30	Malvaceae	nd., FPR.120	
388	YebM	VMT	VT	638	935	388 <i>Sida cordifolia</i> L., Escoba acorazada - Heart-leaf sid	18.30	Malvaceae	200FPR.151 FPR.120,III.158	

389	YebM	aamV	GVT	639	936	389	<i>Sida glabra</i> Mill., Escobita dulce - Smoth fanpetals [	7.12		Malvaceae		FPR.120,III.159
			VT	640	937		<i>Sida glomerata</i> Cmm. ex Cav., Escoba de palma I Cl	18.30	F	Malvaceae		FPR.120,III.159
					938		<i>Sida glutinosa</i> Comm. Ex Cav.,	18.30		Malvaceae		nd., FPR.121
					939		<i>Sida jamaicensis</i> L. subsp. Jamaicensis,	18.30	F	Malvaceae		nd., FPR.121
			GVT	641	940		<i>Sida repens</i> Dombey ex Cav., - Javanese fanpetals [	18.30	F	Malvaceae		FPR.121,III.161
390	YebM	VMT		642	941	390	<i>Sida rhombifolia</i> L., Escoba Colorada - Indian Hemp, Teaweed [YI			Malvaceae		FPR.121,III.161
			VT	643	942		<i>Sida salviifolia</i> C.Presl., Escoba parada	2.3		Malvaceae		FPR.121,III.161
	YebM	VMT	V	644	943		<i>Sida spinosa</i> L, Escoba espinosa - Prickly fanpetals	18.30	F	Malvaceae	200FPR.152	FPR.121,III.162
			T		944		<i>Sida urens</i> L., - Tropical fanpetals [Ylw w Red cntr]	20.33		Malvaceae		FPR.121,III.163
	aamV	GVT		645	945	81	<i>Sidastrum multiflorum</i> (Jacq.) Fryxell, <i>Sidastrum</i>	8.12	F	Malvaceae	200FPR.153	FPR.120,III.164
			T		946		<i>Theobroma cacao</i> (L.),	20.33	F	Malvaceae	Bombaceae	nd., FPR.121
391	AMP	VMT	GT	646	947	391	<i>Thespesia populnea</i> (L.) Soland ex Correa, Emajagui	20.33	F	Malvaceae		FPR.121,III.166
			T		647		<i>Triumfetta lappula</i> L., Cadillo, Mabo - Bur bark	17.30		Malvaceae	AL/Tiliaceae	FPR.116,III.113
			VT	648	949		<i>Triumfetta rhoboidea</i> Jacq., Cadillo	17.30		Malvaceae	AL/Tiliaceae	FPR.116,III.114
			VT	649	950	82	<i>Triumfetta semitriloba</i> Jacq., Cadillo de perro	8.12	F	Malvaceae	AL/Tiliaceae	FPR.116,III.114
	aamV	GVT		650	951	83	<i>Urena lobata</i> L., Cadillo- Bur	8.12		Malvaceae	200FPR.155	FPR.121,III.168
			GAVT	651	952		<i>Waltheria indica</i> L., Basora prieta, Malvisco	17.30	F	Malvaceae	HAL/Sterc200FPR.156	FPR.124,III.204
392	YebM	VMT	VT	652	953	392	<i>Wissadula amplissima</i> (L.) R.E. Fries, <i>Pichona ancha</i>	8.12		Malvaceae	FoSJ.303	FPR.121,III.170
					954		<i>Wissadula hernandioides</i> (L'Her.) Garcke,	18.30		Malvaceae		nd., FPR.12
					955		<i>Wissadula periplosifolia</i> (L.) presl, nd	17.30		Malvaceae		FPR.122,III.172
					956		<i>Myrosma cannifolia</i> L.f.,	21.33		Marantaceae		FPR.121,III.163
			T		957		<i>Marcgravia brittoniana</i> {rectiflora} Alain , Bejuco de l	19.30	F	Marcgraviaceae		FPR.125,III.219,V408
					958		<i>Myrtinia annua</i> L.,	21.33		Martyniaceae		FPR.121,III.163
			T		959		<i>Clidemia hirta</i> L., Camasey, C. peludo, nigua	21.33	F	Melastomataceae	200FPR.157	FPR.144,IV.25
					960		<i>Mecranium latifolium</i> (Cogn.) Skean,	21.33	F	Melastomataceae		FPR.145,IV.37
					961		<i>Miconia impetioilaris</i> , Camasey, C. de costilla/colorac	21.33		Melastomataceae		FPR.145,IV.41
			T		962		<i>Miconia mirabilis</i> (Aubl.) L.O.Williams, Camasey, C.	19.30	F	Melastomataceae		FPR.145,IV.43
			T		963		<i>Miconia prasina</i> (Sw.) DC., Camasey, C. blanco	19.30	F	Melastomataceae		FPR.145,IV.44
					964		<i>Miconia serrulata</i> (DC.) Naudin, Camasey	21.33		Melastomataceae		FPR.146,IV.47
			T		965		<i>Miconia thomasiana</i> DC., Camasey, C. tomaso	19.30	F	Melastomataceae		FPR.145,IV.50







412	YebM CulLP	VT	692	1027	412	Boerhavia coccinea Mill., Mata pavo, Toston, Y. de pu	8.12	F	Nyctaginaceae	200FPR.161	WPoB.58	FPR.54,I.170
		T	693	1028		Boerhavia diffusa L. var. diffusa, Mata pavo, toston	19.30		Nyctaginaceae			n.d.,FPR.54,
		V		1029		Boerhavia diffusa L. var. leiocarpa (Heimert) C.D. Ad	20.30		Nyctaginaceae			FPR.54,I.171
			694	1030	91	Boerhavia erecta, Mata pavo, Toston, Y. de puerco -	8.12	F	Nyctaginaceae		WPoB.58	FPR.54,I.171
		AVT		1031		Boerhavia scandens L., Pegapollo,- Chickweed. Easy-	22.33		Nyctaginaceae			FPR.54,I.171
413	ArbEx VMT		695	1032	413	Exo Bougainvillea glabra Choisy, Trinitaria - Bougainvillea			Nyctaginaceae			FPR.54,I.173
414	ArbEx VMT		696	1033	414	Exo Bougainvillea glabra Choisy var. variegatus, Trinitaria - Bougainvi			Nyctaginaceae			FPR.54,I.173
		T		1034		Bougainvillea spectabilis Willd., Trinitaria - Bougainv	20.30		Nyctaginaceae			FPR.54,I.173
415	AGM VMT	VT	697	1035	415	Guapira (Pisonia) fragans (Dun.-Cours.) Little, Corcho blanco - Bl			Nyctaginaceae			FPR.54,I.176
			698	1036		Mirabilis jalapa L., Don Diego de noche, Siciliana - Fr	20.30		Nyctaginaceae			FPR.55,I.178
	aamVG	VT	699	1037	92	Neea buxifolia (Hook.f.) Heimerl, Nea,Nia	8.12	F	Nyctaginaceae			FPR.55,I.179
		T	700	1038		Pisonia aculeata L., EscambronUna de gato - Prickly	20.30	F	Nyctaginaceae			FPR.55,I.181
416	AGM VMT		701	1039	416	Pisonia rotundata Griseb. subsp. rotundata, - Smooth devil's tong			Nyctaginaceae			FPR.55,n.d.
		GA\T	702	1040	93	Pisonia subcordata Sw., Corcho blanco,Lobloy, Palo	8.12		Nyctaginaceae			FPR.55,I.183
		T		1041		Nymphaea ampla (Salisb.) DC., Calderon, Flor de Agu	21.30		Nymphaeaceae			FPR.58,I.218
			703	1042		Nymphaea pulchella DC., nd.			Nymphaeaceae			FPR.58,I.220
417	ArbEx VMT		704	1043	417	Exo Ochna mossambicensis Klotsch in Peters, - Bird's Eye Bush, Micl			Ochnaceae	TFP.295,FPR.I		FPR.124,III.213
		V		1044		Ouratea litoralis Urb., Abey amarillo, Abeyuelo amari	23.33	F	Ochnaceae			FPR.124,III.213
			705	1045		Ximenia americana L., Tallow wood	20.30	F	Oleaceae			FPR.46,I.96
		G	706	1046	94	Chinonanthus compactus Sw., Avispillo, Hueso. -	20.30	F	Oleaceae			FPR.156.IV.167
			707	1047		Chinonanthus dominguesis Lam., Caracolillo Huesill	20.30	F	Oleaceae			FPR.156.IV.168
		GVT	708	1048	95	Forestiera eggessiana Krug& Urb., Ink bush	8.12	F	Oleaceae			FPR.157.IV.170
		VT	709	1049		Forestieri segregata (Jacq.) Krug.& Urb., - Florida pi	20.30	F	Oleaceae			FPR.157.IV.172
418	BM VMT	T	710	1050	418	Jasminum fluminense Vell, jazmin oloroso, trapo - w	20.30	F	Oleaceae	200FPR.161		FPR.157.IV.176
		GT	711	1051		Jasminum grandiflorum L., Jazmin/de Espa~na - Roj	20.30		Oleaceae			FPR.157.IV.176
		T	712	1052		Jasminum multiflorum (Burm.f.) Andrews, Jazmin/de	20.30	F	Oleaceae			FPR.157.IV.178
		GT	713	1053		Jasminum sambac (L.) Soland, Diamela - Arabian jas	20.30		Oleaceae			FPR.157.IV.178
419	V&Esp VMT		714	1054	419	Exo Olea europaea L., Olivo – Olive			Oleaceae			FPR.nd.

				1055	<i>Ludwigia decurrens</i> (DC.) Walters,	23.33	F	Onagraceae	FPR.148.IV.69		
			T	715	1056	<i>Ludwigia erecta</i> (L.) H. Hara, Y. de clavo acuatica/de	20.30	Onagraceae	FPR.148.IV.69		
420	YebM	VMT		716	1057	420	<i>Ludwigia hyssopifolia</i> (G.Don) Exell apub A.R. Ferna	20.30	F	Onagraceae	FPR.148.IV.69
421	YebM	VMT	T	717	1058	421	<i>Ludwigia octovalvis</i> (Jacq.) P.H. Raven, y. Canga/de	20.30	F	Onagraceae	200FPR.162 FPR.148.IV.69
				1059	<i>Brassavola cucullata</i> (L.) R. Br.,	23.33		Orchidaceae	FPR.263.nd		
				1060	<i>Cranichis muscosa</i> Sw.,	23.33		Orchidaceae	FPR.264.nd		
				1061	<i>Cyclopogon cranichoides</i> (Griseb.) Schltr.,	21.20		Orchidaceae	FPR.264.nd		
			T	1062	<i>Cyclopogon elatus</i> (Sw.) Schltr.,	23.33		Orchidaceae	FPR.264.nd		
aamVG			a	718	1063	96	<i>Encyclia bifida</i> (Aubl.) Britton & P. Wilson	A.A. 3		Orchidaceae	nd.
			VT	1064	<i>Epidendrum anceps</i> Jacq.,	23.33		Orchidaceae	FPR.266.nd		
			GVT	719	1065	<i>Epidendrum ciliare</i> L., nd	20.30	F	Orchidaceae	FPR.266.nd	
				1066	<i>Habenaria alata</i> Hook.,	23.33		Orchidaceae	FPR.267.nd		
			T	1067	<i>Habenaria monorrhiza</i> (Sw.) Rehb. F.,	23.33	F	Orchidaceae	FPR.267.nd		
				1068	<i>Ionopsis utricularioides</i> (Sw.) Lindl.,	23.33		Orchidaceae	FPR.268.nd		
			T	1069	<i>Liparis nervosa</i> (Thunb.)Lindl.,	23.33		Orchidaceae	FPR.269.nd		
			A	1070	<i>Masadenus lacayanus</i> (Britton) Schltr.	7.10		Orchidaceae	nd.		
			T	1071	<i>Microchilus hirtellus</i> (Sw.) D>Dietr.	7.10		Orchidaceae	nd.		
				720	1072	<i>Oeceoclades maculata</i> (Lind.) Lind., nd	20.30	F	Orchidaceae	200FPR.164 FPR.270.nd	
				1073	<i>Polystachya concreta</i> (Jacq.) Garay&H.R.Sweet,	23.33	F	Orchidaceae	FPR.271.nd		
			VT	1074	<i>Polystachya foliosa</i> (Hook.) Rehb. F.	15.21		Orchidaceae	FPR.271.nd		
			T	1075	<i>Ponthieva racemosa</i> (Walter) C. Mohr.,	23.33		Orchidaceae	FPR.271.nd		
			T	1076	<i>Prescottia oligantha</i> (Sw.) Lindl.,	23.33		Orchidaceae	FPR.272.nd		
				1077	<i>Prescottia stachvode</i> (Sw.) Lindl.,	21.20		Orchidaceae	nd.		
				721	1078	<i>Prosthechea cochleata</i> (L.) W.E.Higgins, nd	20.30		Orchidaceae	FPR.272.nd	
			V	1079	<i>Psychilis bifida</i> (Aubl.) Sauleda,nd.	15.21		Orchidaceae	FPR.272.nd		
			GAVT	722	1080	<i>Psychilis macconnelliae</i> Sauleda,nd.	21.30		Orchidaceae	FPR.272.nd	
				1081	<i>Sacolia lanceolata</i> (Aubl.) Garay,	23.33		Orchidaceae	nd.		
				1082	<i>Spiranthes torta</i> (Thumb.) Garay&H.R.Sweet,	23.33		Orchidaceae	FPR.272.nd		
			AV	1083	<i>Tetramicra canaliculata</i> (Aubl.) Urb.,	23.33	F	Orchidaceae	FPR.273.nd		
			GAVT	1084	<i>Tolumnia prionochila</i> (Kraenzl.) Braem,	23.33	F	Orchidaceae	FPR.273.nd		
			T	723	1085	<i>Tolumnia variegata</i> (Sw.) Braem, Angelitos/ decafeta	21.30	F	Orchidaceae	FPR.273.nd	
				724	1086	<i>Vanilla barbellata</i> Rchb. F.,nd	21.30		Orchidaceae	FPR.273.nd	
				1087	<i>Vainilla claviculata</i> (W.Wright) Sw.,	24.33	F	Orchidaceae	FPR.273.nd		



			V	741	1114		<i>Phyllanthus epiphyllanthus</i> L. subsp. <i>epiphyllansus</i> , 21.30	Phyllanthaceae	Euphorbiaceae	FPR.105,II.419
					1115		<i>Phyllanthus juglandifolius</i> Willd. var. <i>juglandifolius</i> , 24.33 F	Phyllanthaceae	Euphorbiaceae	FPR.106,II.419
432	YebM VMT		VT	742	1116	432	<i>Phyllanthus niruri</i> L., Quinino del pobre, Viernes San 21.30 F	Phyllanthaceae	Euphorbiaceae	FPR.106,II.420
					1117		<i>Phyllanthus pentaphyllus</i> C.Wright ex Griseb subsp. 7.10	Phyllanthaceae	Euphorbiaceae	FPR.106,II.421
					1118		<i>Phyllanthus urinaria</i> L., Chamber bitter [Grn] 7.10	Phyllanthaceae	Euphorbiaceae	FPR.106,II.422
					1119		<i>Phyllanthus tenellus</i> Roxb., - Mascarene Island leafli 7.10	Phyllanthaceae	Euphorbiaceae	FPR.106,II.422
			G	743	1120		<i>Savia sessiliflora</i> (Sw.) Willd., Amansa guapo, Carbo 21.30 F	Phyllanthaceae		FPR.106,II.427
					1121		<i>Microtea debilis</i> Sw., nd. 21.30	Phytolaccaceae	Chenopodiaceae	FPR.50,I.185
433	YebM VMT		GT	744	1122	433	<i>Petiveria alliancea</i> L., Anamu - Guinea henweed, Gar 21.30	Phytolaccaceae	WPB, 60	FPR.50,I.186
434	ArbM VMT		GVT	745	1123	434	<i>Rivina humilis</i> L., Carmin - Cat's blood Bloodberry 21.30 F	Phytolaccaceae	!00FPR.17: WPoB, 60	FPR.55,I.190
435	BM CulFI			746	1124	435	<i>Stegnosperma cubense</i> A. Rich., Bejuco de paloma-nasa-palma -	Phytolaccaceae	BPTPR.350	FPR.55,I.195
436	BM CulFI		GVT	747	1125	436	<i>Trichostigma octandrum</i> (L.) H. Walter, Bejuco de pa 9.12 F	Phytolaccaceae	BPTPR.351	FPR.55,I.195
					748	1126	<i>Peperomia distachya</i> (L.) A. Dietr., nd. 22.30	Piperaceae		FPR.38,I.22
			VT		1127		<i>Piperromia glabella</i> (Sw.) A. Dietr, 25.33	Piperaceae		FPR.38,I.23
			GT	749	1128		<i>Peperomia humilis</i> (Jacq.) A. Dietr. (questeliana), nd. 22.30	Piperaceae		FPR.38,I.26
				750	1129		<i>Peperomia megalopoda</i> Trel., nd. 22.30	Piperaceae		nd.,FPR.39,
			GT		1130		<i>Piperromia magnoliifolia</i> (Jacq.) A. Dietr. Var. <i>magnii</i> 25.33 F	Piperaceae		FPR.39,I.24
			V		1131		<i>Piperromia myrtifolia</i> (Vahl.) A.Dietr., nd. 25.33 F	Piperaceae		FPR.39,I.24
				751	1132		<i>Peperomia obtusifolia</i> (L.) Dietr. Var. <i>obtusifolia</i> , nd. 22.30	Piperaceae		FPR.39,I.25
437	YebM. VMT		T	752	1133	437	<i>Peperomia pellucida</i> (L.) Kunth, Alumbre, Coclaria,Fi 22.30 F	Piperaceae		FPR.39,I.25
					1134		<i>Piperromia serpens</i> , Vinagre 25.33	Piperaceae		FPR.39,I.27
438	YebM :ULMtR			753	1135	438	<i>Peperomia wheeleri</i> , nd <b>ENDGR</b> 9.12 <b>ENDG</b>	Piperaceae		FPR.40,I.29
				754	1136		<i>Piper aduncum</i> L. var. <i>anducom</i> , higuillo/dehoja mer 22.30 F	Piperaceae		FPR.40,I.31
			T	755	1137		<i>Piper amalago</i> L. var. <i>amalago</i> , higuillo de limon - Sc 22.30	Piperaceae		FPR.40,I.30
					1138		<i>Piper blatturum</i> , Higuillo 25.33 F	Piperaceae		FPR.40,I.32
			T		1139		<i>Piper peltatum</i> L., nd. 25.33	Piperaceae		nd.,FPR.40,
					1140		<i>Piper retrofractum</i> , nd. 25.33	Piperaceae		nd.,FPR.40,
439	ArbEx VMT			756	1141	439	<b>Exo</b> <i>Pittosporum tobira</i> (Thunb.) W.T. Aiton ssp <i>variegatum</i> , Var. Japa Pittosporaceae		Bot.686	nd.
					1142		<i>Maurandella antirrhiniflora</i> (Humb. &Bonpl. Ex Willd. 25.33	Plantaginaceae		nd.,FPR.193,
				757	1143		<i>Plantago major</i> L., Llantén, Plantango -Greater plant 22.30	Plantaginaceae		FPR.193.V.63



























454	YerM	VMT		801	1210	454	Melinis (Willd.) Zizca {Rhynchelytrum} repens , - Ruby grass (r/w	Poaceae	Paniceae	GFG.80, EoC	n.d.
			T	802	1211		Olyra latifolia L., Carrucillo, Y. de maderá/malez - Pui 23.30	Poaceae			FPR.228
			GV	803	1212	105	Oplismenus hirtellus (L.) P.Beauv. Subsp. hirtellus \ 9.12	Poaceae			FPR.228
				804	1213		Oplismenus hirtellus (L.) P.Beauv. Sunsp. Setarius ( 23.30	Poaceae			FPR.229
					1214		Panicum diffusum Sw., nd. 26.33	Poaceae			FPR.229
455	YerM	VMT	B	805	1215	455	Panicum maximum Jacq., Yerba de Guinea - Guinea grass	Poaceae	Paniceae		nd.FPR.231
			T		1216		Panicum polygonatum Schrad., 24.30	Poaceae			n.d.
			V		1217		Panicum repens, L., 17.21	Poaceae			n.d.
			T		1218		Panicum trichoides Sw., nd. 26.33	Poaceae			FPR.230
			GT		1219		Pappophorum pappiferum (Lam.) Kuntze, nd. 26.33	Poaceae			FPR.230
			A	806	1220		Paspalidium geminatum (Forssk.) Stapf., Yerba de a\ 23.30	Poaceae			FPR.230
			T	807	1221		Paspalum blodgettii Chapm., nd. 23.30	Poaceae			FPR.230
					1222		Paspalum boscianum Flugge, nd. 27.33	Poaceae			FPR.230
				808	1223		Paspalum conjugatum Chapm., Horquetilla/blanca - 23.30	Poaceae			FPR.230
					1224		Paspalum densum Poir., nd. 27.33	Poaceae			FPR.230
			GVT	809	1225		Paspalum distichum L., Salaillo, Grama de mar - Joir 23.30	Poaceae			FPR.231
456	YerM	VMT	V	810	1226	456	Paspalum fimbriatum Kunth, Pata de conejo - Panar 23.30	Poaceae			FPR.231
			gavt		811	1227	106 Paspalum laxum Lam., Matojo de arena - 9.12	Poaceae			FPR.231
			aamVG		1228		107 Paspalum millegrana Schrad., Cortadora, Paja brava 23.30	Poaceae			FPR.231
				812	1229		Paspalum molle Poir., nd. 27.33	Poaceae			FPR.231
					1230		Paspalum notatum Flugge var. notatum, nd. 27.33	Poaceae			FPR.231
					1231		Paspalum orbiculatum Poir., nd. 27.33	Poaceae			FPR.231
				813	1232		Paspalum paniculatum L., Arricillo,/de altura, Grisilla 23.30	Poaceae			FPR.231
			VT		1233		Paspalum plicatulum Michx., nd. 27.33	Poaceae			FPR.231
			G	814	1234		Paspalum pleostachyum Doll., Cortadora 23.30	Poaceae			FPR.232
			G	815	1235		Paspalum setatum Michx. Var. ciliatifolium (Michx.) \ 23.30	Poaceae			FPR.232
457	YerP	Cul		816	1236	457	Paspalum urvillei Steud., Yerba vasey - Vasey grass [Crn-Wht}	Poaceae			FPR.232
				817	1237		Paspalum virgatum L., Cortadero, Matojo blanco - 23.30	Poaceae			FPR.232
			T	818	1238		Pharus lappulaceus Aubl., Pegadora, Prenda de oro 23.30	Poaceae			FPR.232
			V	819	1239		Sacchaarum officinarum L., Ca'na de azucar silvestr 23.30	Poaceae			FPR.233
					1240		Sachzachyrium sanguineum (Retz.) Alston var. brevi 24.30	Poaceae			n.d., FPR 234
458	YerM	VMT		820	1241	458	Setaria macrostachya, Large -Spk, Plains Bristlegr. 9.12 F	Poaceae			n.d., FPR 234
				821	1242		Setaria parviflorum (Poir.) Kerguenlen, nd. 23.30 F	Poaceae	GtFG.286		n.d., FPR 234
				822	1243	108	Setaria rariflora Mikan ex Trim., - Brazil bristlegrass USCE	Poaceae			FPR.234



466	AMP	Cul.Fla.VG		848	1276	466	<i>Coccoloba rugosa</i> , Desf., Ortegón - Red Flowered St	28.33	Polygonaceae	FPR.50,I.124
							<i>Coccoloba swartzii</i> Meisn. f.var <i>swartzii</i> , Ortegón - R	27.33	Polygonaceae	FPR.50,I.125
467	AMP	VMT		849	1278	467	<i>Coccoloba uvifera</i> (L.) L., Uvero de Playa - Sea Grape	3.2 F	Polygonaceae	FPR.50,I.126
468	AMM	VMT		850	1279	468	<i>Coccoloba venosa</i> L., Calambreña - Wild chiggergrass	28.33 F	Polygonaceae	FPR.50,I.126
469	Bro&H	VMT		851	1280	469	<i>Asplenium nidus</i> L., Lengua de suegra, Bird's nest fern, [Brwn]]		Polypodiaceae spleniaceae	TPG.120 FPR.256,nd.
470	Bro&H	VMT		852	1281	470	<i>Neurodium lanceolatum</i> (L.) Fée, Helecho - Ribbon fern {grn lf}		Polypodiaceae	FPR.26, nd.
471	GCM	VMT		853	1,282	471	<i>Portulaca grandiflora</i> Hook. var. Sundial Series [, Verdolaga - Dou		Portulacaceae Purslane	FPR.56,I.203
472	GCM	VMT		854	1,283	472	<i>Portulaca halimoides</i> L., Verdolaga - [Pnk-Rd - Ylw]		Portulacaceae Purslane	FPR.56,I.203
473	GCM	VMT		855	1,284	473	<i>Portulaca oleracea</i> L. subsp. <i>oleracea</i> , Verdolaga - Common Yellow		Portulacaceae	00FPR.179 FPR.56,I.204
474	GCP	VMT		856	1,285	474	<i>Portulaca pilosa</i> L., Don Diego - Hairy Portulaca, Pus	9.30 F	Portulacaceae	00FPR.18 SPoSF.56 FPR.57,I.204
475	GCM	VMT		857	1,286	475	<i>Portulaca quadrifida</i> L., Y. de pollo - Chicken weed	9.30 F	Portulacaceae	FPR.57,I.204
				858	1,287		<i>Portulaca rubricaulis</i> Kunth., nd. -	9.30 F	Portulacaceae Purslane	FPR.57,I.206
				859	1,288		<i>Portulaca teretifolia</i> Kunth ssp. <i>teretifolia</i> , nd. -	9.30 F	Portulacaceae	FPR.57,I.206
				1,289			<i>Portulaca umbraticola</i> Kunth, nd.	24.30	Portulacaceae	nd.FPR.57,
476	YebM.	VMT		860	1,290	476	<i>Talinum fruticosum</i> (triangulare) (L.) Juss., Verdolaga	9.12 F	Portulacaceae	FPR.57,I.208,V.395
477	YebM	VMT		861	1,291	477	<i>Talinum fruticosum</i> v. <i>flavus</i> (L.) Juss., Verdolaga fr	9.12 F	Portulacaceae	FPR.57,I.208,V.395
				862	1,292		<i>Talinum paniculatum</i> Jacq.) Gaertn., nd.	10.12	Portulacaceae	FPR.57,I.206
				863	1,293		<i>Ardisia obovata</i> Desv. Ex Ham., Badula, Mameyuelo,	28.33	Primulaceae Mysinaceae	FPR.152,IV.118
478	ArbP	Culbrt		864	1,294	478	<i>Jacquinia armillaris</i> {arborea} Jacq., Azucares, Barb Culbrt		Primulaceae Theophr:	CSIP.54,Fol FPR.152,IV.113
479	AMP	Culbrt		865	1,295	479	<i>Jacquinia berteroi</i> , Spreng. var <i>beteroi</i> , Melcocha - C	28.30	Primulaceae Theophr:	ToB.140 FPR.152,IV.113
				1,296			<i>Myrsine cubana</i> A DC. {guianensis}, Badula, Mamey	20.30	Primulaceae Mysinaceae	FPR.153,IV.122
				866	1,297		<i>Stygine lateriflora</i> (Sw.)Mez., nd	28.33	Primulaceae Mysinaceae	FPR.153,IV.126
				1,298			<i>Grevillea robusta</i> A. Cunn, Roble australiano/de sed	25.30	Protaceae	FPR.46,I.90
				1,299			<i>Drypetes alba</i> Poit., Cafeillo, Hueso, P, de Vaca	25.30	Putranjivaneae Euphorbiaceae	FPR.102,II 386
480	BJ	CulEd		867	1,300	480	<i>Pyrostegia venustan</i> (P.igneae) (ker Gawl.) Miers, - Flame v., Orang		Pyrostegia	BTPPR.126
481	AGM	VMT		868	1,301	481	<i>Colubrina arborecens</i> (Mill.) Sarg., Mabi -Snake bark	10.12 F	Rhamnaceae	CSIP42-5.12 FPR.113,III 79
482	AGM	VMT		869	1,302	482	<i>Colubrina elliptica</i> (Sw.) Brizicky, Mabi - Soldierwood	10.12 F	Rhamnaceae	FPR.113,III 79







483	BM	VMT	GV	a	870	1,303	483	<i>Gouania lupuloides</i> (L.) Urban, Bejuco de indio/ d. sc	25.30	F	Rhamnaceae	FPR.113,III 82
484	AGM	aamVGAVT			871	1,304	484	<i>Krugiodendron ferreum</i> (Vahl) Urban, Plo de hierro, l	10.12	F	Rhamnaceae	FPR.113,III 84
			GVT			1,305		<i>Reynosa guama</i> Urb., Guama -	28.33	F	Rhamnaceae	FPR.113,III 88
			AT		872	1,306		<i>Reynosa uncinata</i> Urb., Cascarroya, Cimarron	25.30	F	Rhamnaceae	FPR.113,III 88
		aamVG			873	1,307	116	<i>Ziziphus mauritiana</i> Lam., Aprin,Jujube, Yuyubi -Indi	10.12	F	Rhamnaceae	FPR.113,III 93
				T		1,308		<i>Ziziphus reticulata</i> (Vahl)DC.,	25.30		Rhamnaceae	FPR.113,III 93
			AV		874	1,309		<i>Ziziphus rignonii</i> Delponte, nd.	25.30		Rhamnaceae	FPR.113,III 93
						1,310		<i>Prunus pleuradenia</i> Griseb.,	26.30		Rosaceae	nd., FPR.67
485	Mngl	CUL	GVT		875	1,311	485	<i>Rhizophora mangle</i> L., Mangle Colorado - Red Mang	10.12	F	Rhizophoraceae	FPR.137,III.364
486	ArbM	VMT			876	1,312	486	<i>Antirhea lucida</i> (Sw.) Hook. F., Palo iloron - [Wht]	MHD		Rubiaceae	FoCI.615,62 nd., FPR.299
			V		877	1,313		<i>Catesbaea parviflorum</i> Sw., nd. -	25.30		Rubiaceae	FPR.195,
487	AGP	CulPyFla			878	1,314	487	<i>Casuarina equisetifolia</i> J.R. & G. Forst., Casuarina, F	25.30		Rubiaceae	FoEC.44 FPR.38, I.14
			GVT		879	1,315		<i>Chiococca alba</i> (L.) Hitchc., Bejuco de berac - W.I. sr	25.30	F	Rubiaceae	FPR.195,V.77
			T			1,316		<i>Chione venosa</i> (Sw.) Urb. Var venosa, Martin avila, P	26.30		Rubiaceae	FPR.194,V.79
488	AMM	VMT			880	1,317	488	<i>Chomelia fasciculata</i> (Sw.) Sw., - Dart wood			Rubiaceae	CSIP.154 WPoB.195 FPR.nd.
			T			1,318		<i>Coffea arabica</i> L., Caf� - Coffee	26.30		Rubiaceae	FPR.194,V.83
			T			1,319		<i>Diodella apiculata</i> (Willd.) ex Roem.&Schult.) Delpret	28.33		Rubiaceae	200FPR.182 nd., FPR.195
489	YerM.	VMT			881	1,320	489	<i>Diodia sarmentosa</i> Sw., - Liane a cornette			Rubiaceae	BTPPR.369 FPR.195,V.87
					882	1,321		<i>Diodia serrulata</i> (P.Beauv.) G. Taylor, nd. -	25.30		Rubiaceae	FPR.195,V.87
490	ArbP	CUL	GV		883	1,322	490	<i>Erithalis fruticosa</i> L. Jayajabico,Tea - Black torch, l	3.2	F	Rubiaceae	CSIP.154 - FotLA.407 FPR.195,V.89
491	ArbP	Culbr	T		884	1,323	491	<i>Erithalis odorifera</i> Jacq., Jayajabisco oloroso - Scen	25.30	F	Rubiaceae	200FPR.18: CSIP.154 - FPR.195,V.90
492	GCP	Culbr	VT		885	1,324	492	<i>Ernodea littoralis</i> Sw., - Beach creeper	10.12	F	Rubiaceae	FWF.186 FPR.195,V.91
			VT		886	1,325	117	<i>Exostema caribaeum</i> (Jacq.) Roem.&Schult., Guacar	10.12		Rubiaceae	FPR.195,V.92
			VT		887	1,326		<i>Faramea occidentalis</i> (L.) A. Rich., Cafetillo, Guacara	25.30	F	Rubiaceae	FPR.195,V.95
493	ArbExCulEd				888	1,327	493	<i>Gardenia augusta</i> (L.) Merrill, Gardenia, Jazmin - Gardenia, Cqpe J			Rubiaceae	FPRyE.66 FPR.195,V.96
				T		1,328		<i>Gardenia jasminoides</i> J. Ellis,	26.30		Rubiaceae	FPR.195,V.96
494	AFG	VMT			889	1,329	494	<i>Genipa americana</i> L., Jagua - Genip, Genipa, Genipo	25.30	F	Rubiaceae	FPR.196,V.98
			T		890	1,330		<i>Geophila repens</i> (L.) I.M. Johnst., Y. de guaba -	25.30	F	Rubiaceae	FPR.195,V.103
			T			1,331		<i>Gonzalagunia hirtusa</i> (Jacq.) K.Schum., Mata de mar	29.33	F	Rubiaceae	FPR.195,V.103
					891	1,332	118	<i>Guettarda elliptica</i> Sw., Cucubano liso - Velvet seed	2.3	F	Rubiaceae	FPR.195,V.103
			GVT		892	1,333	119	<i>Guettarda odorata</i> (Jacq.) Lam., Cucubano de Viequ	10.12	F	Rubiaceae	FPR.196,V.103







					1,396		<i>Allophylus racemosus</i> Sw., Palo blanco, Quiebrahac	27.30	F	Sapindaceae		FPR.110,III.45
			GT		930	1,397	<i>Cardiospermum corindum</i> L. var. <i>corindum</i> , Farolito	27.30	F	Sapindaceae		FPR.111,III.49
				T	931	1,398	124 <i>Cardiospermum halicacabum</i> L. var. <i>halicacabum</i> , Bombilla, B. m			Sapindaceae		FPR.111,III.49
				T		1,399	<i>Cupania americana</i> L., nd.	27.30		Sapindaceae		FPR.111,III.52
			T		932	1,400	<i>Cupania triquetra</i> A.Rich, nd.	27.30	F	Sapindaceae		FPR.111,III.52
					933	1,401	<i>Dondonaea viscosa</i> Jacq. Subsp. <i>viscosa</i> , Chamiso,	27.30		Sapindaceae		FPR.111,III.54
					934	1,402	<i>Exothea paniculata</i> (Juss.) Raddlk., Gaitia, Guacarar	27.30		Sapindaceae		FPR.111,III.55
508	AMF	VMT	GT		935	1,403	508 <i>Melicoccus bijugatus</i> Jacq., Quenepa - Ginep, Spani	30.33	F	Sapindaceae	38-114	FPR.111,III.61
				T	936	1,404	<i>Paullinia pinnata</i> L., Bejuco de costilla/guajanilla/pal	27.30	F	Sapindaceae		FPR.112,III.63
				T		1,405	<i>Paulina plumieri</i> Triana&Planch, nd	27.30		Sapindaceae		FPR.112,III.63
					937	1,406	<i>Sapidus saponaria</i> L., Jaboncillo, Saponaria - Soap t	27.30		Sapindaceae		FPR.112,III.64
509	BM	VMT	GT		938	1,407	509 <i>Serjania polyphylla</i> {Lucida} Schum, Bejuco de corral	10.12	F	Sapindaceae		FPR.112,III.66
				T	939	1,408	<i>Chrysophyllum argenteum</i> Jacq., Caimitillo, Caimito	27.30		Sapotaceae		FPR.153,IV.137
				T		1,409	<i>Chrysophyllum cainito</i> L., Caimito, Caimito blanco - l	30.33		Sapotaceae		FPR.154,IV.139
					940	1,410	<i>Chrysophyllum oliviforme</i> L. subsp. <i>oliviforme</i> , Caim	27.30	F	Sapotaceae		FPR.154,IV.140
					941	1,411	<i>Chrysophyllum pauciflorum</i> Lam., Caimitillode perro	27.30	F	Sapotaceae		FPR.154,IV.140
				T		1,412	<i>Manilkara bidentata</i> (A.DC) A.Chev. Subsp. Suriname	27.30	F	Sapotaceae		FPR.154,IV.143
				T	942	1,413	<i>Manilkara pleeana</i> (Pierre ex Baill.)Cornq., Ausuba, /	27.30	F	Sapotaceae		FPR.154,IV.143
510	AMF	CuJo	GT		943	1,414	510 <i>Manilkara zapota</i> (L.) P.Royen, Nispero, - Sapodilla	27.30		Sapotaceae		FPR.155,IV.144
						1,415	<i>Mimosops elengi</i> , Chicle. Elengi	30.33		Sapotaceae		FPR.154,IV.141
						1,416	<i>Pouteria multiflora</i> (A.DC.) Eyma, Almendron, Jacan:	30.33		Sapotaceae		FPR.155,IV.149
511	AGM	CuIUSFGT	GT		944	1,417	511 <i>Sideroxylon foetidissimum</i> Jacq., Tabloncillo, Tortug	27.30	F	Sapotaceae	WPoB.150	FPR.155,IV.152
				T	945	1,418	125 <i>Sideroxylon obovatum</i> Lam., Alquitran,Ara~na de ga	27.30		Sapotaceae		FPR.155,IV.153
				T	946	1,419	<i>Sideroxylon salifolium</i> (L.) Lam., Almendron, Sabina,	27.30	F	Sapotaceae		FPR.155,IV.155
					705	1,420	<i>Schoepfia obovata</i> C. Wright, Araña	27.30	F	Schoepfiaceae Olacaceae		FPR.46,I.195
			G		706	1,421	126 <i>Schoepfia schreberi</i> J.F.Gmel.(chrysophylloides), nd	11.12	F	Schoepfiaceae Olacaceae		FPR.46,I.96,V.393
512	GCM	CULFer			947	1,422	512 <i>Bacopa monnieri</i> L. Pennell, Yerba de culebra -Herb	22.30	F	Scrophulariaceae Plantagin:200FPR.174	FPR.183.IV.485	
				L	948	1,423	<i>Bacopa stricta</i> , (schrad.) B.L. Rob., Yerba de Culebra			Scrophulariaceae Plantaginaceae		FPR.184.IV.487
513	YebM	VMT	GT		949	1,424	513 <i>Capraria biflora</i> L., Te del Pais - Goat weed, West Ind	11.12	F	Scrophulariaceae!00FPR.18:	WPoB.184	FPR.184.IV.491
514	ArbEx	VMT			950	1,425	514 <i>Leucophyllum frutescens</i> (Berl.) IM Johnst., Cenizo - Texas Sage-			Scrophulariaceae Pittospor:	TFP.kal.346 n.d.,	FPR 182
515	ArbEx	VMT			951	1,426	515 <i>Russelia equisetiformis</i> Schlecht & Cham., Coral de italia, Luvia d			Scrophulariaceae Plantagin:	TFP.315	FPR.184.IV.502

516	AMM VMT		952	1427	<i>Casearia decandra</i> Jacq., Caracolito, Cerezo, Corcho	26.30	F	Salicaceae	Flacourtiaceae	FPR.128,III.262
			953	1,428	<i>Casearia guianensis</i> (Aubl.) Urb., Cafeillo, Cafetillo	26.30	F	Salicaceae	Flacourtiaceae	FPR.128,III.263
			954	1,429 516	<i>Casearia sylvestris</i> Sw., Cafetillo Cimarron - Crack-open, [ylw-g			Salicaceae	Flacourtiaceae	SIP.53-4.10. FPR.129,III.264
517	ArbP CaRos		955	1430	127 <i>Castela erecta</i> Turpin, nd.	11.12	F	Simoroubaceae		FPR.93,II.278
				1,431	<i>Pricansa excelsa</i> (Sw.) Planch., Leña/Palo Amarga/o	31.33	F	Simoroubaceae	WPoB.100	FPR.93,II.281
				1,432	<i>Quassia amara</i> L., Cuassia - Quassia wood	28.30		Simoroubaceae		FPR.93,II.283
			956	1,433 517	<i>Suriana maritima</i> L., Guitaran/Temporana - Bay Ceda	3.2	F	Simaroubaceae	Coastal Shru	FPR.93,II.285
518	ArbM VMT		957	1,434	<i>Smilax coriacea</i> Spreng., Dunguey blanco - Green briar			Smilacaceae	VKT, FIW 215, PAR Fof	FPR.256
				1,435	<i>Smilax dominguesis</i> Willd., Bejuco de membrillo, Zai	28.30		Smilacaceae		FPR.257
				1,436	<i>Acnistus arborescens</i> (L.) Schldl.	28.30	F	Solanaceae		FPR.178.IV.424
			958	1,437	<i>Brugmansia candida</i> Pers., Cornucopia, Floripondio	28.30		Solanaceae		FPR.178,IV.428
				1,438	<i>Brunfelsia americana</i> L., Aguacero, Alheli falso, Tror	28.30	F	Solanaceae		FPR.179,IV.432
			960	1,439 518	<i>Brunfelsia lactea</i> Krug & Urban, Jazmin de monte - Angels trumpete			Solanaceae		FPR.179,IV.432
				1,440	128 <i>Casicum annuum</i> L. v. <i>annuum</i> , Aji de gallina/dulcePii	11.12	F	Solanaceae		FPR.179,IV.434
				1,441	129 <i>Casicum annuum</i> L. v. <i>glabriusculum</i> , Aji picante, pico de de palo			Solanaceae		FPR.179,IV.434
				1,442	130 <i>Casicum frutense</i> L., Aji picante/caballero - Bird/Red	11.12		Solanaceae		FPR.179,IV.436
				1,443	<i>Cestrum alternifolium</i> (Jacq.) O.E.Schullz, Jazmin b	31.33		Solanaceae		FPR.179,IV.437
				1,444	<i>Cestrum diurnum</i> L., Dama /Galan de dia - Day cestr	28.30		Solanaceae		FPR.179,IV.438
				1,445	<i>Cestrum linearifolium</i> Urb., nd	31.33		Solanaceae		nd.,FPR.179
				1,446	<i>Cestrum nocturnum</i> L., Dama de Noche - Lady o/t Ni	28.30		Solanaceae		FPR.180,IV.440
			966	1,447 519	<i>Datura inoxia</i> Mill., Campana blanca/de pasto, Cham	28.30	F	Solanaceae		FPR.180,IV.442
				1,448	<i>Datura metel</i> L., Chamisco morado - Purple Datura [i	28.30		Solanaceae	FoLA.III.277WBP	FPR.180,IV.442
	1,449	<i>Datura stramonium</i> L., Belladonna del pobre, Chamis	28.30	F	Solanaceae	100FPR.191	FWF.108 FPR.180,IV.443			
520	AGM Cul.Fla.VG		969	1,450 520	<i>Goetza elegans</i> Wydler, Mata buey , Manzanilla- Nigh	ENDGr	Solanaceae		FPR.180,IV.444	
521	ArbM Cul.EEd		970	1,451 521	<i>Lycopersicon</i> { <i>Solanum</i> } <i>esculentum</i> Mill., Tomato-	28.30	F	Solanaceae	FPR.184,IV.451	
			971	1,452	<i>Nicotinia tabacum</i> L., Tabaco - Tabacco	28.30	F	Solanaceae	FPR.181,IV.452	
522	YebM. Cul.Fla		972	1,453 522	<i>Physalis angulata</i> L., Alquequejen, Sacabuche - Cow	11.12	F	Solanaceae	FPR.181,IV.456	
523	YebM. VMT		973	1,454 523	<i>Physalis cordata</i> Mill., Alquequejen, Sacabuche - Hu	28.30		Solanaceae	FPR.181,IV.457	
				1,455	<i>Physalis eggessii</i> O.E. Schulz, nd,	31.33		Solanaceae	nd.,FPR.181	
				1,456	<i>Physalis pubescens</i> L., Alquequejen, Sacabuche pelu	28.30		Solanaceae	FPR.181,IV.457	

524	BJ	VMT		974	1,457	524	<i>Solanandra grandiflora</i> Sw., Bejuco de peo - Fart vine [Ylw-Wht] C		Solanaceae		FPR.28	FPR.181,IV.458
				975	1,458	131	<i>Solanum americanum</i> , Yerba mora, Mata gallina - Bl: 11.12 F		Solanaceae			FPR.181,IV.462
525	ArbM	VMT	GVT	976	1,459	525	<i>Solanum bahamense</i> L. {racemosum}, Rubia, Berenj 11.12 F		Solanaceae	200FPR.191	WPoB 183	FPR.183,IV472
526	ArbM	VMT		977	1,460	526	<i>Solanum capsicoides</i> Allioni, Mata cucaracha - Cockroach berry		Solanaceae		Hill Shrub	FPR.63,IV463
			V		1,461		<i>Solanum conucarpum</i> Dunal ex Poir., Marron bacob: 31.33		Solanaceae			nd.,FPR.181
527	ArbM	VMT		978	1,462	527	<i>Solanum diphyllum</i> L. , Amantillo - Nightshade [Vio-Prpl]		Solanaceae		FWF.111	FPR.183, nd.
			VT		1,463		<i>Solanum elaeagnifolium</i> Cav., nd 28.30		Solanaceae	200FPR.190	FPR.181,IV.464	
			T	979	1,464		<i>Solanum erianthum</i> D.Don, Berenjena de paloma, Ta 28.30 F		Solanaceae			FPR.182,IV.465
528	ArbM	VMT	T	980	1,465	528	<i>Solanum lanceifolium</i> Jacq., nd. 28.30 F		Solanaceae			FPR.182,IV.466
			T		1,466		<i>Solanum melongena</i> L., nd. 20.21		Solanaceae			
			GVT	981	1,467		<i>Solanum polygamum</i> Vahl., - Cakalaka berry 28.30 F		Solanaceae			FPR.182,IV.470
			V	982	1,468		<i>Solanum seaforthianum</i> Andrews, Falsa belladona, 28.30		Solanaceae			FPR.183,IV473
			GVT	983	1,469	132	<i>Solanum torvum</i> Sw., 11.12 F		Solanaceae			FPR.181
			T		1,470		<i>Turpinia occidentalis</i> (Sw.) G.Don, Avispillo, Cedro h 28.30		Staphyleaceae			FPR.110,III.37
			T		1,471		<i>Symplococos martinicensis</i> Jacq., Aceiyuna/blanca 31.33 F		Symplocaceae			FPR.156,IV161
				984	1,472		<i>Daphnosis americana</i> (Mill.) J.R.Johnst., ssp caribea 29.30		Thymelaeaceae			FPR.135,IV.340
529	YerM.	VMT	GV	985	1,473	529	<i>Corchorus aestuans</i> L., Jute - Jute [Ylw 20.33 17.30 F		Tiliaceae	Malvaceae		FPR.115,III.109
			GAV	986	1474	133	<i>Corchorus hirtus</i> (orinocensis) L., Malva 17.30 7.12		Tiliaceae	Malvaceae		FPR.115,III.109,V408
			G	987	1475		<i>Corchorus siliquosus</i> L., Escoba blanca - Broom we 17.30 F		Tiliaceae	Malvaceae		FPR.115,III.110
				988	1,476	134	<i>Piriqueta viscosa</i> Griseb. Susps. viscosa, nd. 11.12		Turneracea	Passifloracea		FPR.130,III.283,V.409
			AVT	989	1,477		<i>Turnera diffusa</i> Willd.&Schult., Damiana - [Ylw] 21.30 F		Turneracea	Passiflora	200FPR.171	FPR.130,III.285
			GVT	990	1,478	135	<i>Turnera umlifolia</i> L., Marilopez - Yellow adler [Ylw] 11.12		Turneracea	Passi.,200	SPoSFC.9	FPR.130,III.286
				991	1,479		<i>Typha domingensis</i> Pers., Aneas, Y. de/Eneas -Cat-ti 29.30		Typhaceae			FPR.216,
			T		1,480		<i>Crecropia schreberiana</i> Miq. subsp. Antillarum (Snet 29.30		Urticaceae			nd.,FPR.44,
530	AMM	CuIRP	MaEH	992	1,481	530	<i>Laportea aestuans</i> (L.) Chew., Pica pica - West India 29.30		Urticaceae			FPR.44,I.75
			VT		1,482		<i>Pilea herniarioides</i> (Sw.) Lindl. var. herniarioides, nd 32.33		Urticaceae			FPR.44,I.78
				1,483			<i>Pilea inaequalis</i> (Juss. Ex Poir.) Wedd., nd 32.33 F		Urticaceae			FPR.44,I.79

531	GCM	VMT	GVT	993	1,484	531	<i>Pilea microphylla</i> (L.) Liebm. var <i>microphylla</i> , Madre	29.30	Urticaceae		FPR.45,I.81
			T	994	1,485		<i>Pilea nummulariifolia</i> (Sw.) Wedd., Y. de culebra, Cre	29.30 F	Urticaceae		FPR.45,I.81
					1,486		<i>Pilea richardii</i> Urb., nd	32.33	Urticaceae		nd.,FPR.45,
			T	995	1,487		<i>Pilea sanctae-crucis</i> Liebm., , nd.	29.30	Urticaceae		FPR.45,I.83
			GT		1,488		<i>Pilea tenerrima</i> Miq., Musgo - Small lace place	32.33	Urticaceae		FPR.45,I.84
				996	1,489		<i>Pouzolzia occidentalis</i> (Liebm.) Wedd., nd.	29.30	Urticaceae		FPR.46,I.85
					1,490		<i>Rousselia humilis</i> (Sw.) Urb.	32.33	Urticaceae		FPR.46,I.86
					1,491		<i>Urera baccifera</i> (L.) Gaudich.exWedd., Ortiga brava	32.33 F	Urticaceae		FPR.46,I.87
532	YebM	VMT		997	1,492	532	<i>Bouchea prismatica</i> (L.) Kuntze. , Vervena - Prism bc	11.12 F	Verbenaceae	WPoB.170	FPR.171,IV314
533	AMM	VMT	B	998	1,493	533	<i>Citharexylum caudatum</i> L., Pendula - Juniper berry		Verbenaceae		FPR.171,IV344
534	AMM	VMT	GVT	999	1,494	534	<i>Citharexylum {fruticosum} spinosum</i> L., Susana, pe	11.12 F	Verbenaceae	aamVG	WPoB.170 FPR.172,IV346
535	ArbP	VMT		1000	1,495	535	<i>Clerodendrum aculeatum</i> (L.) Schlec., Escambron Blanco,Descan		Verbenaceae	WPoB.171	FPR.172,IV.347
			T		1,496		<i>Clerodendrum thomsonae</i> Balf. F.,	16.30 F	Verbenaceae	Lamiaceae	FPR.172,IV.351
536	ArbEx	VMT		1001	1,497	536	<i>Clerodendrum quadriloculare</i> (Blanco) Merrill, - Starburst, Shootir		Verbenaceae	TPfHG.77	nd., FPR.172,
					1,498		<i>Duranta arida</i> Britton&P.Wilsun var. <i>arida</i> , nd	32.33	Verbenaceae		FPR.nd.,173,
537	ArbExCulEd		V	1002	1,499	537	<i>Duranta erecta</i> L., Azota-caballos, Cuentas de oro,Li	29.30 PalB	Verbenaceae	FoCub.50	FPR.173,IV355
			T		1,500		<i>Glandularia peruviana</i> (L.) Small,	29.30	Verbenaceae	Lamiaceae	nd., FPR.173,
538	ArbM	VMT		1003	1,501	538	<i>Lantana camara</i> L. var. <i>aculeata</i> Moldenke, Cariaquil	29.30	Verbenaceae	!00FPR.19!	WPoB.172 FPR.173,IV363
539	ArbM	VMT	GVT	1004	1,502	539	<i>Lantana camara</i> L. var. <i>camara</i> , Cariaquillo - Button Sage.Ylw-Ora		Verbenaceae	!00FPR.19!	WPoB.172 FPR.183,IV361
			G/T	1005	1,503	136	<i>Lantana involucrata</i> L., Cariaquillo - Wild Sage	11.12 F	Verbenaceae	WPoB.172	FPR.173,IV363
540	ArbM	VMT		1006	1,504	540	<i>Lantana montevidensis</i> (Spreng.) Briq., Cariaquillo rastremo- Traili		Verbenaceae		FPR.173,IV364
			T		1,505		<i>Lantana reticulata</i> Pers., Cariaquillo rastremo- Trailing L. purpl-pin		Verbenaceae		FPR.173,IV364
			V		1,506		<i>Lantana x aculeata</i> L.,	32.33	Verbenaceae		nd.,FPR.173
				1007	1,507		<i>Lippia alba</i> , (Mill.) N.E.exBritt.&Wils. nd.	29.30	Verbenaceae	!00FPR.198	FPR.174,IV367
541	V&Es	VMT		1008	1,508	541	<i>Lippia micromera</i> Schauer var. <i>helleri</i> (Brit.) Mold., Oregano del pa		Verbenaceae		FPR.174,IV3669
					1,509		<i>Nashia inaguensis</i> Mills., nd	32.33	Verbenaceae		FPR.174,V410
542	BJ	CUL	T	1009	1,510	542	<i>Petrea vulubilis</i> L., Petrea - Purple Wreath		Verbenaceae		FPR.174,IV374
			GV		1,511		<i>Phyla nodiflora</i> L. Greene, Cidron, Orozus,Yerba/de j	32.33	Verbenaceae	200FPR.199	nd.,FPR.175
543	YebM		GVT	1010	1,512	543	<i>Priva lupulacea</i> (L. ) Pers., Cadillo de bolsa, Pega b	11.12 F W	Verbenaceae	CWiPR&V	WPoB.173 FPR.174,IV375
544	YebM	VMT		1011	1,513	544	<i>Stachytarpheta cayennensis</i> (L.C.Rich.) Vahl., Verbena - Blue snal		Verbenaceae	WPoB.174	FPR.175,IV378
545	YebM	VMT	G/T	1012	1,514	545	<i>Stachytarpheta jamaicensis</i> (L.) Vahl, Bretonica, Veri	29.30	Verbenaceae	!00FPR.20!	WPoB.174 FPR.175,IV378
			VT	1013	1,515		<i>Stachytarpheta stringosa</i> Nahl., Vervena blanca -	29.30 F	Verbenaceae		FPR.175,IV380

					1,516				<i>Hybanthus lineariformis</i> (Vahl.) Urb., Chancleta, Naranjito, Violeta	Violaceae		FPR.128,III.252
											Cissus	
					1,517				<i>Cissus obovata</i> Vahl, Bejuco ubi/gongoli/carito/caro 32.33	Vitaceae	Cissus	BPTrdPR40 FPR.115,III.101
546	BM	VMT	VT		1014	1,518	546		<i>Cissus trifoliata</i> (L.) L., Bejuco de Caro - Sorrel Vine 29.30	Vitaceae	Cissus	BPTrdPR41 FPR.115,III.101
547	BM	VMT	GT		1015	1,519	547		<i>Cissus verticillata</i> (L.) Nicolson & Jarvis subsp. verti 29.30 F	Vitaceae	Cissus	100FPR.20: BPTrdPR41 FPR.115,III.100
						1,520			<i>Vitis tillifolia</i> L., Bejuco de agua, Uva cimarrona- W 29.30	Vitaceae	Cissus	FPR.115,III.101
						1,521			<i>Vitis vinifera</i> L., Uva - Grape 29.3	Vitaceae	Cissus	FPR.115,III.101
548	ArbEx	Cul			1016	1,522	548	Exo	<i>Dianella ensifolia</i> (L.) D.C., Dianella - Cerulean flaxlily, Umbr	Xanthorrhoeaceae		n.d., FPR
549	ArbEx	CulEd			1017	1,523	549	Exo	<i>Alpinia purpurata</i> Veil. Ex K. Schum., - Gengibre Rojo - Red Ginge	Zingiberaneae		TGP.157 FPR.260. nd.
						1,524			<i>Alpinia zerumbet</i> (Pers.) B.L. Burtt.&R.M.Smith, - Bor 32.33	Zingiberaneae	100FPR.20:	TGP.157 FPR.260. nd.
					1018	1,525			<i>Hedychium coronarium</i> J.Konig, Dulce nieva, Jazmir 29.30 F	Zingiberaneae		FPR.261,
					1019	1,526			<i>Renealmia aromatica</i> (Aubl.) Griseb., nd. 29.30	Zingiberaneae		FPR.261,
550	AGM	VMT	GVT		1020	1,527	550		<i>Guaiacum officinale</i> L.. Guayacan - Lignun vitea 30.30 F	Zygophyllaceae		FPR.90,II.247
551	YebM	VMT	GVT		1021	1,528	551		<i>Kallstromia maxima</i> (L.) Hook.&Arn.,Caldero, Verdol: 30.30	Zygophyllaceae		FPR.90,II 249
552	YebM	VMT	GT		1022	1,529	552		<i>Kallstroemia pubescens</i> (G.Don) Dandy, Verdolaga - Caltrop	Zygophyllaceae		WPoB.98 FPR.90,II.249
552					1022	1529	552	136	15 unID plts. are grasses			
MHD					V&C	C,V&L	CUL	NC				